

FALL, 1915

SPRING, 1916

# KELSEY'S

## Hardy American Plants, Rhododendrons, Azaleas, and Specimen Evergreens

### I. Catalog of BOXFORD NURSERY Boxford, Massachusetts

### II. Catalog of HIGHLANDS NURSERY 3800 FEET ELEVATION Pineola, North Carolina

At Boxford Nursery (East Boxford P. O.), on the Georgetown branch of the B. & M. R. R., may be seen growing the choicest collection of specimen nursery stock, selected for the most discriminating buyers. Special attention is given to hardy native plants, which must always be the basis of successful permanent plantings.

**SPECIMEN STOCK.** There is a growing demand for fine specimen stock in Conifers, Rhododendrons, Kalmias, Andromedas and other evergreens, and Boxford Nursery is established to supply this need.

Landscape architects, park and cemetery superintendents, and the owners of large estates will find it of great advantage to visit Boxford Nursery and personally select material in the nursery row.

**PRICES** are made to fit the quality of stock sent out. Few realize that the real value of nursery stock is largely underground. Frequent transplanting, and handling specimens with adequate, burlaped balls, means success and quick results. It costs more, but it is the fixed policy of the Boxford Nursery; and "cheap" stock will not be handled or sent out. The best is always the cheapest.

**HIGHLANDS NURSERY SHIPMENTS** are made from Pineola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk steamship rates are

*To Landscape Architects, Parks, Cemeteries,  
Botanical Gardens, and other Public Institutions  
a special discount of 10% will be allowed on  
prices in this catalogue.*

**SHIPPING BEGINS IN AUGUST**, when I send out large Rhododendrons, Kalmias and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November; and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to me, when I use my best judgment, but assume no risk.

**EXPORT SHIPMENTS** reach the most remote countries in perfect condition. I have exported for over twenty-five years, and know how to pack. Quarantine and the great war, however, have left open practically only Holland and Great Britain to our shipments.

**DESCRIPTIVE CATALOGS**, illustrated, are mailed on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants is gladly given. Send for "How to Grow Rhododendrons Successfully."

**VISITORS ARE ALWAYS WELCOME.** Boxford Nursery is easily reached by train or automobile, and Mr. Kelsey will be glad to meet prospective customers at the nursery by appointment.

A visit to Boxford Nursery during the blooming season of Rhododendrons and Azaleas is especially worth while.

**HARLAN P. KELSEY, Owner**  
Office, 287 Essex St. SALEM, MASS.  
Telephone Connection

## PART I.

# CATALOG OF BOXFORD NURSERY

Note: All plants are transplanted and nursery-grown unless plainly marked otherwise.

The larger sizes are always shipped with balls and are burlaped, which means they will grow. Prices include all charges, packed free on board cars, Boxford, Mass., freight station.

## Evergreen Trees and Shrubs

|                                     | Each   | 10     | 100 | 1,000 |
|-------------------------------------|--------|--------|-----|-------|
| <i>Abies arizonica</i> . 4 ft. .... | \$4 00 |        |     |       |
| <i>brachyphylla</i> . 4 ft. ....    | 3 50   |        |     |       |
| <i>concolor</i> . White Fir.        |        |        |     |       |
| 1 to 1½ ft. ....                    | 1 00   | 8 00   |     |       |
| 2 to 3 ft. ....                     | 1 75   | 15 00  |     |       |
| 3 to 4 ft. ....                     | 3 00   | 25 00  |     |       |
| 5 to 6 ft. ....                     | 7 00   |        |     |       |
| 6 to 8 ft. ....                     | 9 00   | 80 00  |     |       |
| 8 to 10 ft. ....                    | 15 00  | 135 00 |     |       |
| 10 to 12 ft. ....                   | 25 00  |        |     |       |
| 12 to 14 ft. ....                   | 35 00  |        |     |       |
| 14 to 16 ft. ....                   | 45 00  |        |     |       |

***Abies fraseri*.** Fraser's Fir. The northern species, *Abies balsamea*, is almost worthless in any but the latitude of middle and northern Maine, as it becomes "leggy," thin, and is short-lived. Fraser's Fir, however, a distinct species from the highest peaks of the Carolina mountains, makes a perfect specimen lawn and screen tree, with dark green, thick-set foliage (blue underneath) and compact, pyramidal habit. It is one of the choicest of all American conifers of the Fir section.

*Abies fraseri* is destined to become one of the most popular and widely planted of Firs, and to meet this demand, we have them by thousands in all sizes.

|                                       | Each  | 10    | 100    | 1,000  |
|---------------------------------------|-------|-------|--------|--------|
| 1 yr. S. ....                         |       |       | 4 00   | 35 00  |
| 3 to 6 in. tr. ....                   |       |       | 7 00   | 60 00  |
| 1 to 2 ft. ....                       | 45    | 4 00  | 30 00  |        |
| 2 to 3 ft. ....                       | 1 25  | 10 00 | 80 00  | 700 00 |
| 3 to 4 ft. ....                       | 1 75  | 15 00 | 130 00 |        |
| 8 to 10 ft. ....                      | 7 00  |       |        |        |
| 10 to 12 ft. ....                     | 12 00 |       |        |        |
| 12 to 14 ft. ....                     | 15 00 |       |        |        |
| 14 to 16 ft. ....                     | 18 00 |       |        |        |
| <i>nordmanniana</i> . Nordmann's Fir. |       |       |        |        |
| 2 to 3 ft. ....                       | 3 00  | 25 00 |        |        |
| 3 to 4 ft. ....                       | 4 00  | 35 00 |        |        |
| <i>umbellifera</i> . 4 ft. ....       | 4 00  | 35 00 |        |        |
| 5 ft. ....                            | 7 00  | 60 00 |        |        |
| <i>velutina</i> . 1½ to 2 ft. ....    | 3 00  | 25 00 |        |        |
| 4 to 5 ft. ....                       | 6 00  |       |        |        |
| 5 to 6 ft. ....                       | 8 00  |       |        |        |
| 6 to 8 ft. ....                       | 12 00 |       |        |        |

***Andromeda (Pieris) floribunda*.** 2 to 4 feet. One of the finest of all broad-leaved American shrubs. Compact growth, with shining evergreen leaves and abundant racemes of showy white flowers in May. The next season's buds appear after the flowering season and give the plant the appearance of being in bloom the year round. My stock is all strictly American-grown and of finest quality. The imported *Andromeda* is very often difficult to establish. All plants are heavily budded.

|                  | Each | 10    | 100    | 1,000 |
|------------------|------|-------|--------|-------|
| 6 to 9 in. ....  | 80   | 7 00  | 60 00  |       |
| 9 to 12 in. .... | 1 00 | 8 00  | 70 00  |       |
| 1 to 1½ ft. .... | 1 50 | 12 50 | 100 00 |       |
| 1½ to 2 ft. .... | 2 50 | 22 50 |        |       |

***Japonica*.** Japanese Fetter Bush. This fine species is of more upright growth than *floribunda*, the young foliage presenting striking shades of reddish pink early in the season. The flowers are in terminal racemes, and very showy.

|  |        |         |       |  |
|--|--------|---------|-------|--|
| 1 to 1½ ft. ....                           | \$1 50 | \$10 00 |       |  |
| <i>Arctostaphylos glauca</i> . 2 to 4 in.  | 50     |         |       |  |
| <i>uva-ursi</i> . 1 yr. (pots) ...         | 60     | 5 00    | 40 00 |  |
| <b><i>Buxus arborescens</i>. Tree Box.</b> |        |         |       |  |
| 6 to 12 in. ....                           | 20     | 1 50    | 12 00 |  |
| 1 to 1½ ft. ....                           | 30     | 2 50    | 20 00 |  |

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### EVERGREEN TREES AND SHRUBS (continued)

|  | Each | 10    | 100   | 1,000 |
|--|------|-------|-------|-------|
| <i>Buxus suffruticosa</i> . Dwarf Box.<br>3 to 6 in. ....                        | 15   | 1 00  | 7 00  | 60 00 |
| <i>Cedrus deodara</i> . 3 yr. tr. ....   | 35   | 3 00  | 20 00 |       |
| <i>libani</i> . 3 yr. tr. ....   | 35   | 3 00  |       |       |
| <i>Chamaedaphne calyculata</i> .<br>9 to 12 in. ....                             | 40   | 3 00  | 25 00 |       |
| 1 to 1½ ft. ....   | 50   | 4 00  |       |       |
| <i>Cupressus lawsoniana</i> . 4 to 8 in.<br><i>lawsoniana alumi</i> . 2 ft. .... | 10   | 80    | 7 00  |       |
| <i>lawsoniana velitchi</i> . 3½ ft. ....   | 2 00 | 18 00 |       |       |
| <i>Dendrium buxifolium</i> . 3 to 9 in.  | 30   | 2 50  |       |       |

**Dendrium prostratum.** Mountain Heath. Grows 6 to 12 inches. The Carolina mountain prostrate form of this beautiful genus. Rockwork, evergreen, closely covering the surface with a bed of green. In full bloom May or June; produces a striking effect; the delicate white flowers are tinged with pink. One of our choicest alpine plants.

|   | Each | 10    | 100   | 1,000 |
|---|------|-------|-------|-------|
| 3 to 9 in. ....   | 50   | 4 00  | 35 00 |       |
| <i>Hypericum aureum</i> . 1 to 1½ ft.<br><i>densiflorum</i> . St. John's Wort.<br>2 to 3 ft. .... | 30   | 2 50  |       |       |
| <i>Ilex glabra</i> . 3 to 6 in. trans 1 yr.<br><i>opaca</i> . American Holly, 1 ft.               | 30   | 2 50  | 20 00 |       |
| <i>Juniperus chinensis argentea</i> .<br>1 to 1½ ft. ....   | 75   | 6 00  |       |       |
| <i>chinensis pfitzeriana</i> . 2 ft. ....   | 1 50 | 12 50 |       |       |
| <i>chinensis procumbens</i><br>1½ to 2 ft. ....   | 1 00 | 9 00  |       |       |
| <i>communis aurea</i> . Golden Common Juniper.<br>1 to 2 ft. ....                                 | 1 00 | 8 50  |       |       |
| 2 to 3 ft. ....   | 1 50 | 12 50 |       |       |

### *Juniperus communis depressa*.

|   | Each | 10    | 100    | 1,000 |
|---|------|-------|--------|-------|
| Prostrate Juniper. 6 to 12<br>in diameter ..... | 50   | 4 00  | 30 00  |       |
| 1 to 1½ ft. diameter..                          | 75   | 6 00  | 50 00  |       |
| 1½ to 2 ft. diameter...                         | 1 25 | 10 00 | 90 00  |       |
| 2 to 3 ft. diameter ....                        | 1 75 | 15 00 | 130 00 |       |
| 3 to 4 ft. diameter...                          | 2 50 | 20 00 | 180 00 |       |

Larger specimens, up to 15 00

Without doubt this is the best prostrate form of Juniper for ground-over. It is at home on sandy or gravelly hillsides, fully exposed to the sun, where single plants often reach a diameter of 15 feet or more.

In shade it does well where other shrubs or grass will not thrive, forming a looser covering, however, than in the open. It varies in form from the completely prostrate type to the ascending type. 2 to 4 feet high.

We have several thousand transplanted specimens to select from, up to 8 feet in diameter.

|   | Each  | 10     | 100    | 1,000 |
|---|-------|--------|--------|-------|
| <i>communis prostrata</i> . 2 to 3 ft.                              | 75    | 6 00   |        |       |
| <i>Japonica aurea</i> . Golden Japanese Juniper.<br>3 to 4 ft. .... | 3 00  | 25 00  |        |       |
| <i>sabina</i> . Savin Juniper.<br>1 to 1½ ft. ....                  | 60    | 5 00   | 40 00  |       |
| 1½ to 2 ft. ....  | 1 25  | 9 00   | 80 00  |       |
| 2 to 3 ft. ....   | 2 50  | 22 50  | 200 00 |       |
| <i>tamariscifolia</i> . Grey Carpet Juniper.<br>1 ft. ....          | 1 00  | 9 00   |        |       |
| 2 to 3 ft. ....   | 2 50  | 20 00  |        |       |
| <i>virginiana</i> . Red Cedar.<br>1 to 2 ft. ....                   | 60    | 5 00   | 40 00  |       |
| 2 to 3 ft. ....   | 1 00  | 8 00   | 75 00  |       |
| 3 to 4 ft. ....   | 1 50  | 12 00  | 100 00 |       |
| 4 to 5 ft. ....   | 2 00  | 18 00  | 160 00 |       |
| 5 to 6 ft. ....   | 3 50  | 30 00  |        |       |
| 6 to 8 ft. ....   | 6 00  | 50 00  |        |       |
| 8 to 10 ft. ....  | 9 00  | 80 00  |        |       |
| 10 to 12 ft. ....   | 12 00 | 110 00 |        |       |
| 12 to 14 ft. ....   | 15 00 | 140 00 |        |       |

These prices are for transplanted specimens of good grade. Larger sizes or special selection at special prices.

BOXFORD NURSERY makes a specialty of the Red Cedar. It is, we believe, the finest of all evergreens for formal

### Catalog of BOXFORD NURSERY

#### EVERGREEN TREES AND SHRUBS (continued)

plantings for New England conditions, giving an effect somewhat like the Italian cypress.

As a background for rhododendrons, shrubbery and flowers, it is unequalled, except perhaps by the Carolina hemlock. It does not take the place of other evergreens, but holds a unique place for certain effects, and no other evergreen can take its place. Individuals vary in color from light and dark green to steel-blue.

We offer hundreds of transplanted specimens up to 20 feet in height. We also collect specimens with large balls in car-lots or less at prices according to selection, ordinarily 75 cents a foot in height.

|   | Each | 10    | 100   | 1,000 |
|---|------|-------|-------|-------|
| <i>Juniperus virginiana elegantissima.</i>        |      |       |       |       |
| 3 to 4 ft. ....                                   | 2 00 |       |       |       |
| <i>virginiana glauca.</i> Blue Virginia Cedar.    |      |       |       |       |
| 1½ to 2 ft. ....                                  | 1 50 | 12 50 |       |       |
| 2 to 3 ft. ....                                   | 2 50 | 22 50 |       |       |
| 3 to 4 ft. ....                                   | 3 50 | 30 00 |       |       |
| <i>virginiana globosa.</i> 1 to 1½ ft.            | 1 50 |       |       |       |
| 1½ to 2 ft. ....                                  | 2 00 |       |       |       |
| <i>virginiana schottii.</i> 1 to 1½ ft.           | 1 25 |       |       |       |
| 2 to 3 ft. ....                                   | 2 00 | 18 00 |       |       |
| <i>Kalmia angustifolia.</i> Narrow-leaved Laurel. |      |       |       |       |
| 6 to 12 in. ....                                  | 35   | 3 00  | 20 00 |       |

**Kalmia latifolia.** The Mountain Laurel. One of the grandest of our native broad-leaved evergreen shrubs, attaining tree-like proportions in our southern mountains. In cultivation it is a broad, thick shrub, and, when in full bloom, of surpassing beauty. The wheel-shaped flowers in close terminal corymbs, pure white to pink, appear in May or June in such profusion as almost to smother the foliage. Its thick, shining leaves, conspicuous the year round, make it a shrub of greatest value for massing. The hardiness of *Kalmia latifolia* is beyond doubt, it being found sparingly in Nova Scotia and increasingly in abundance through New England and the middle Atlantic states (particularly in the higher altitudes), till the crest of the southern Alleghanies is reached.

This is another of my specialties and my stock is unequalled elsewhere.

|                         | Each | 10    | 100    | 1,000  |
|-------------------------|------|-------|--------|--------|
| 1 to 1½ ft. ....        | 60   | 5 00  | 40 00  |        |
| 1½ to 2 ft. ....        | 80   | 7 00  | 60 00  |        |
| 2 to 3 ft. ....         | 1 50 | 12 00 | 110 00 |        |
| 3 to 9 in. clumps ....  | 75   | 6 00  | 50 00  |        |
| 9 to 12 in. clumps..... | 1 00 | 8 00  | 75 00  | 700 00 |
| 1 to 1½ ft. clumps....  | 1 25 | 10 00 | 90 00  | 800 00 |
| 1½ to 2 ft. clumps....  | 2 00 | 17 50 | 150 00 |        |
| 2 to 3 ft. clumps.....  | 3 50 | 32 50 | 300 00 |        |
| 3 to 4 ft. clumps ....  | 4 50 | 40 00 | 375 00 |        |

**Leucothoe catesbaei.** Grows 3 to 8 feet. Few shrub-evergreens of the broad-leaved sort have the grace of this one. The thick, shining green leaves are evenly disposed on long, recurved branches, with dense racemes of beautiful, white, bell-shaped flowers. As an under-shrub or for banks and the borders of rhododendron masses or along streams it is without a rival. The sprays make beautiful winter decorations indoors, turning a rich bronze in the fall where exposed to the sun.

|                  | Each   | 10     | 100     | 1,000 |
|------------------|--------|--------|---------|-------|
| 6 to 12 in. .... | \$0 50 | \$4 00 | \$30 00 |       |
| 1 to 1½ ft. .... | 75     | 6 50   | 60 00   |       |
| 1½ to 2 ft. .... | 1 50   | 12 50  | 110 00  |       |

The larger sizes of *Leucothoe* are heavy clumps for immediate effect.

|   | Each  | 10     | 100    | 1,000 |
|---|-------|--------|--------|-------|
| <i>Pachysandra terminalis.</i>                |       |        |        |       |
| 6 to 9 in. ....                               | 25    | 1 75   | 15 00  |       |
| <i>Picea alba (canadensis).</i> White Spruce. |       |        |        |       |
| 2 to 3 ft. ....                               | 1 25  | 10 00  |        |       |
| 3 to 4 ft. ....                               | 2 00  | 17 50  | 160 00 |       |
| 4 to 5 ft. ....                               | 3 50  | 30 00  |        |       |
| 5 to 6 ft. ....                               | 4 50  | 40 00  |        |       |
| 6 to 7 ft. ....                               | 7 00  | 60 00  |        |       |
| 7 to 8 ft. ....                               | 9 00  | 80 00  |        |       |
| 8 to 10 ft. ....                              | 12 00 | 100 00 |        |       |
| 10 to 12 ft. ....                             | 15 00 |        |        |       |
| <i>alba aurea.</i> 7 to 8 ft.....             | 20 00 |        |        |       |
| <i>alba glauca</i> (Dwarf form).              |       |        |        |       |
| 1½ ft. ....                                   | 3 00  | 25 00  |        |       |
| 4 ft. ....                                    | 5 00  | 40 00  |        |       |
| <i>alcockiana.</i> 3 to 4 ft. ....            | 1 25  | 12 00  |        |       |

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### EVERGREEN TREES AND SHRUBS (continued)

|   | Each  | 10    | 100    | 1,000  |
|---|-------|-------|--------|--------|
| <i>Picea conica</i> . 5 to 6 ft. ....             | 10 00 |       |        |        |
| <i>engelmanni</i> . 6 to 8 in. ....               | 15    | 1 00  | 8 00   | 60 00  |
| <i>excelsa</i> . Norway Spruce.                   |       |       |        |        |
| 4 to 5 ft. ....                                   | 1 25  | 10 00 |        |        |
| <i>koraiensis</i> . 1 yr. S. ....                 | 10    | 80    | 5 00   |        |
| <i>mariana</i> ( <i>nlgra</i> ). Black Spruce.    |       |       |        |        |
| 2 to 3 ft. ....                                   | 1 50  | 12 50 |        |        |
| 3 to 4 ft. ....                                   | 2 00  | 17 50 | 150 00 |        |
| 4 to 5 ft. ....                                   | 3 00  | 27 50 |        |        |
| <i>orientalis</i> . 2 to 3 ft. ....               | 2 00  | 18 00 |        |        |
| <i>pungens</i> . Green Colorado Spruce.           |       |       |        |        |
| 5 to 6 in. tr. (F '14)..                          | 15    | 1 00  | 8 00   | 60 00  |
| 1 to 2 ft. ....                                   | 1 00  | 8 00  | 75 00  |        |
| 2 to 3 ft. ....                                   | 2 00  | 18 00 | 160 00 |        |
| 3 to 4 ft. ....                                   | 3 00  | 25 00 | 225 00 |        |
| 4 to 5 ft. ....                                   | 4 00  | 35 00 | 325 00 |        |
| 5 to 6 ft. ....                                   | 6 00  |       |        |        |
| 6 to 8 ft. ....                                   | 8 00  | 75 00 |        |        |
| 8 to 10 ft. ....                                  | 10 00 |       |        |        |
| 10 to 12 ft. ....                                 | 12 50 |       |        |        |
| <i>pungens kosteri</i> . Koster's Blue Spruce.    |       |       |        |        |
| 1 to 1½ ft. ....                                  | 2 50  | 22 50 | 200 00 |        |
| 1½ to 2 ft. ....                                  | 3 50  | 32 50 |        |        |
| 2 to 3 ft. ....                                   | 4 50  | 40 00 | 375 00 |        |
| 3 to 4 ft. ....                                   | 6 00  | 50 00 |        |        |
| <i>rubra</i> . Red Spruce.                        |       |       |        |        |
| 1 to 2 ft. ....                                   | 75    | 6 00  |        |        |
| <i>sitchensis</i> . Sitka Spruce.                 |       |       |        |        |
| 3 to 4 ft. ....                                   | 3 00  |       |        |        |
| <i>Pinus austriaca</i> . Austrian Pine.           |       |       |        |        |
| 9 to 12 in. ....                                  | 30    | 2 50  | 20 00  | 175 00 |
| 1 to 1½ ft. ....                                  | 50    | 4 00  | 30 00  |        |
| <i>banksiana</i> ( <i>divaricata</i> ) Jack Pine. |       |       |        |        |
| 3 to 4 ft. ....                                   | 1 00  | 8 50  | 70 00  |        |
| 4 to 6 ft. ....                                   | 2 00  | 18 00 | 150 00 |        |
| 6 to 8 ft. ....                                   | 3 50  | 30 00 | 275 00 |        |
| 8 to 10 ft. ....                                  | 5 00  | 40 00 |        |        |
| <i>cembra</i> . Swiss Stone Pine.                 |       |       |        |        |
| 9 to 12 in. ....                                  | 1 00  | 8 00  | 70 00  |        |
| 1 to 1½ ft. ....                                  | 1 50  | 12 50 |        |        |
| 2 to 3 ft. ....                                   | 2 50  | 22 50 |        |        |
| <i>densiflora</i> . Japanese Red Pine.            |       |       |        |        |
| 8 to 12 in. tr. (F. '14).                         | 20    | 1 50  | 12 00  |        |
| 1½ to 2 ft. ....                                  | 1 00  | 8 00  | 70 00  |        |
| 2 to 3 ft. ....                                   | 1 50  | 12 00 | 100 00 |        |
| <i>flexilis</i> . Limber Pine.                    |       |       |        |        |
| 2 to 4 in. tr. ....                               | 15    | 1 00  | 8 00   | 60 00  |
| 1½ to 2 ft. ....                                  | 1 00  | 8 50  |        |        |
| 2 to 3 ft. ....                                   | 1 50  | 12 00 |        |        |
| 3 to 4 ft. ....                                   | 2 00  | 18 00 |        |        |
| <i>massoniana</i> . 2 to 4 in. ....               | 25    | 1 50  | 12 00  | 100 00 |
| <i>mughus</i> . Dwarf Pine.                       |       |       |        |        |
| 4 to 6 in. ....                                   | 25    | 1 50  | 12 00  | 100 00 |
| 9 to 12 in. ....                                  | 60    | 5 00  | 40 00  |        |
| 1 to 1½ ft. ....                                  | 1 00  | 8 00  | 70 00  |        |
| <i>murrayana</i> . Lodge-pole Pine.               |       |       |        |        |
| 6 to 9 in. ....                                   | 20    | 1 25  | 10 00  | 80 00  |
| 3 to 4 ft. ....                                   | 1 00  | 8 00  | 70 00  |        |
| 6 to 8 ft. ....                                   | 2 00  | 18 00 | 160 00 |        |
| <i>ponderosa</i> . Bull Pine.                     |       |       |        |        |
| 4 to 6 in. ....                                   | 25    | 1 50  | 12 00  | 100 00 |
| 1 to 1½ ft. ....                                  | 40    | 3 00  |        |        |
| 1½ to 2 ft. ....                                  | 60    | 5 00  |        |        |
| 2 to 3 ft. ....                                   | 1 25  |       |        |        |
| <i>pungens</i> . Table Mountain Pine.             |       |       |        |        |
| 6 to 8 ft. ....                                   | 2 50  |       |        |        |
| <i>resinosa</i> . Red Pine.                       |       |       |        |        |
| 2 to 4 in. ....                                   | 20    | 1 25  | 10 00  |        |
| 6 to 12 in. ....                                  | 40    | 3 00  | 20 00  |        |
| 1 to 1½ ft. ....                                  | 60    | 4 00  | 30 00  |        |
| <i>rigida</i> . Pitch Pine.                       |       |       |        |        |
| 1 to 1½ ft. ....                                  | 15    | 1 00  | 8 00   |        |
| 1½ to 2 ft. ....                                  | 25    | 2 00  | 16 00  |        |
| 2 to 3 ft. ....                                   | 60    | 5 00  |        |        |
| 4 to 5 ft. ....                                   | 1 50  | 12 00 |        |        |
| 5 to 6 ft. ....                                   | 2 50  |       |        |        |

### Catalog of BOXFORD NURSERY

#### EVERGREEN TREES AND SHRUBS (continued)

|   | Each | 10    | 100    | 1,000  |
|---|------|-------|--------|--------|
| <b>Pinus strobus.</b> White Pine.                         |      |       |        |        |
| 3 yr. S. 9 to 12 in. (bed)                                |      |       | 1 00   | 8 00   |
| 6 to 9 in. ....   | 10   | 75    | 5 00   | 40 00  |
| 1 to 1½ ft. ....  | 20   | 1 50  | 12 50  | 110 00 |
| 1½ to 2 ft. ....  | 35   | 3 00  | 25 00  | 200 00 |
| 2 to 3 ft. ....   | 60   | 5 00  | 45 00  | 400 00 |
| 3 to 4 ft. ....   | 1 25 | 10 00 | 80 00  |        |
| 4 to 5 ft. ....   | 2 50 | 20 00 |        |        |
| 6 to 8 ft. ....   | 6 00 | 50 00 |        |        |
| <b>syvestris.</b> Scotch Pine.                            |      |       |        |        |
| 2 to 3 ft. ....   | 75   | 6 00  | 50 00  | 400 00 |
| 3 to 4 ft. ....   | 1 25 | 10 00 | 80 00  |        |
| 4 to 5 ft. ....   | 2 00 | 18 00 | 160 00 |        |
| 5 to 6 ft. ....   | 3 00 | 26 00 |        |        |
| 6 to 8 ft. ....   | 4 00 | 35 00 | 325 00 |        |
| <b>thunbergi.</b>   |      |       |        |        |
| 4 to 6 in. ....   | 25   | 1 50  | 12 00  | 100 00 |
| <b>wateriana.</b> 1 to 1½ ft. ....                        | 1 25 | 10 00 |        |        |
| <b>Pseudotsuga douglasii (taxifolia).</b> Douglas Spruce. |      |       |        |        |
| 1 to 1½ ft. ....  | 60   | 5 00  | 40 00  |        |
| 1½ to 2 ft. ....  | 1 00 | 8 00  | 70 00  |        |
| 2 to 3 ft. ....   | 1 50 | 12 50 | 100 00 |        |
| 3 to 4 ft. ....   | 2 00 | 18 00 |        |        |
| <b>Retinispora obtusa.</b> 1 to 2 in. S.                  | 15   | 1 00  | 5 00   | 40 00  |
| <b>obtusa gracilis.</b> 1 ft. ....                        | 75   | 6 00  |        |        |
| 2½ ft. ....   | 2 00 | 18 00 |        |        |
| <b>obtusa nana.</b> 1½ to 2 ft. ....                      | 2 00 | 18 00 |        |        |
| <b>obtusa pygmaea.</b> 9 to 12 in.                        | 1 50 | 12 50 |        |        |
| <b>pisifera.</b> 6 to 7 ft. ....                          | 4 00 |       |        |        |

## RHODODENDRONS

| Rhododendron arbutifolium (wilsoni). | Each   | 10     |
|--------------------------------------|--------|--------|
| 9 to 12 in. ....                     | \$1 00 | \$8 50 |
| 1 to 1½ ft. ....                     | 2 00   | 18 00  |
| 1½ to 2 ft. ....                     | 3 00   |        |

## RHODODENDRON CAROLINIANUM

### A New American Species

*Clear Pink. Absolutely Hardy.*

The smallest Alleghanian species; though wild, it attains a height of 15 feet and is wide-spreading. Leaves dark green, usually blunt and narrow, covered with rusty dots below, much smaller than either maximum or catawbiense. Flower-clusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fine for rocky slopes or hill-sides, standing exposure unusually well, and invaluable as a single specimen or for massing with the other species.

|                         | Each   | 10     | 100     |
|-------------------------|--------|--------|---------|
| 9 to 12 in. ....        | \$0 75 | \$6 00 | \$50 00 |
| 1 to 1½ ft. ....        | 1 00   | 8 00   |         |
| 1 to 1½ ft. clumps .... | 2 00   | 17 50  | 150 00  |
| 1½ to 2 ft. clumps .... | 3 50   | 32 50  | 300 00  |
| 2 to 3 ft. clumps ....  | 6 00   | 50 00  |         |
| 3 to 4 ft. clumps ....  | 10 00  | 90 00  |         |
| 4 to 5 ft. clumps ....  | 15 00  |        |         |

## RHODODENDRON CATAWBIENSE

### Of the Carolina Mountains

*The Hardest of all Rhododendrons*

It was this magnificent Rhododendron that over a hundred years ago was introduced into Europe, supplying, together with Rhododendron maximum and R. punctatum, color and hardy blood to the cultivated "hybrids", but with a conse-

"And to paint these home pictures we need chiefly American material. We must face this deadly parallel:

"What We Really Plant. 70% European trees and shrubs and horticultural varieties. 20% Chinese and Japanese. 10% American.

"What We Ought To Plant. 70% American trees and shrubs, i. e., native to America. 20% Chinese and Japanese. 10% European and horticultural."

Wilhelm Miller, in "What England Can Teach Us About Gardening."

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### EVERGREEN TREES AND SHRUBS (continued)

quent loss of hardiness; and so today, for American gardens, where ironclad hardiness is essential, we must turn to the true original species, found on the loftiest, coldest peaks of the southern Alleghanies, where it attains a height of 20 to 30 feet.

Considering the extreme hardiness, color of flower, compact growth and remarkable texture of foliage, which is a deep, shining green, and far superior to the better-known *Rhododendron maximum*, we can recommend the true native catawbiense as the finest for general use, withstanding exposure and extremes of temperature where other *Rhododendrons* fall.

Do not confuse this true species, which is absolutely hardy, with the common so-called catawbiense hybrid seedling so freely imported from Europe, which is at best half-hardy, and even when branched above is a single stem, showing bareness underneath for years.

Unlike *Rhododendron maximum*, it is a very free bloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semi-hardy, half-breed, imported variety noted above), and as sent out by Highlands Nursery is always on its own roots.

For massing to produce a broad-leaved evergreen landscape effect, there is no plant equal to it in the latitude of the northern United States and Canada, where strictly hardy plants must be employed. As a rich, finished border to plantations of the commoner *Rhododendron maximum*, the value of *Rhododendron catawbiense* cannot be overestimated.

Do not compare our many-stemmed clumps with the single-stemmed, "bushy", half-hardy *Rhododendrons* offered by importers. There is no comparison.

|                         | Each  | 10    | 100    | 1,000 |
|-------------------------|-------|-------|--------|-------|
| 3 to 6 in. ....         | 30    | 2 00  | 18 00  |       |
| 6 to 9 in. ....         | 40    | 3 00  | 25 00  |       |
| 9 to 12 in. ....        | 50    | 4 00  | 35 00  |       |
| 1 to 1½ ft. clumps ...  | 1 75  | 17 00 | 125 00 |       |
| 1½ to 2 ft. clumps .... | 2 50  | 22 50 | 200 00 |       |
| 2 to 3 ft. clumps ....  | 3 50  | 32 50 | 300 00 |       |
| 3 to 4 ft. clumps ....  | 5 00  | 45 00 | 425 00 |       |
| 4 to 5 ft. clumps ....  | 8 00  | 75 00 |        |       |
| 5 to 6 ft. clumps ....  | 12 00 |       |        |       |

Special selection at special prices.

Catawbiense hybrids. Hardest varieties, including the following:

*Album elegans*, *Anna Parsons*, *caractacus*, *catawbiense alba*, *everestianum*, *General Grant*, *Mrs. Milner*, *President Lincoln*, *Parsons' Gloriosa*, *purpureum elegans*, *roseum elegans* and others, according to size and selection, \$1 to \$4 each.

## RHODODENDRON MAXIMUM

### The Great American Rosebay

*Perfectly Hardy in the Latitude of Quebec*

*Rhododendron maximum* is, without doubt, the noblest of American broad-leaved shrubs. It is found growing sparingly in New England and New York, more abundantly in the Pennsylvania mountains, but reaching perfection only in the southern Alleghany Mountains, where it grows in such luxuriance as to form a striking feature in the mountain landscape. Its large, waxy white or delicately pink flowers appear in large trusses in July, the latest of all the *Rhododendrons*, greatly enhancing its ornamental value as a broad-leaved evergreen for finished landscape effect.

Not even in Asia do *Rhododendrons* grow more luxuriantly than in our southern Alleghany Mountains, where they attain a height of 30 feet or more. They must be seen in their native lavishness of growth and bloom, on the mountainsides or hanging over the dashing, ice-cold streams and waterfalls, to be properly appreciated, and a trip to the high Carolina mountains in spring and early summer is a never-to-be-forgotten series of joys to the lover of nature.

|                                    | Each | 10    | 100    | 1,000 |
|------------------------------------|------|-------|--------|-------|
| 6 to 12 in. ....                   | 25   | 2 00  | 17 50  |       |
| 1 to 1½ ft. ....                   | 40   | 3 00  | 25 00  |       |
| 1½ to 2 ft. ....                   | 75   | 6 00  | 50 00  |       |
| 2 to 3 ft. ....                    | 1 00 | 9 00  | 80 00  |       |
| 6 to 12 in clumps. ....            | 80   | 7 00  | 65 00  |       |
| 1 to 1½ ft. clumps ....            | 1 00 | 9 00  | 80 00  |       |
| 1½ to 2 ft. clumps ...             | 1 75 | 15 00 | 125 00 |       |
| 2 to 3 ft. clumps ....             | 2 50 | 22 50 |        |       |
| 3 to 4 ft. clumps ....             | 4 00 | 37 50 |        |       |
| 4 to 6 ft. specimens, \$5 to 10 00 |      |       |        |       |

## Catalog of BOXFORD NURSERY

### EVERGREEN TREES AND SHRUBS (continued)

|  | Each  | 10     | 100    | 1,000  |
|--|-------|--------|--------|--------|
| <i>Taxus canadensis</i> . Canadian Yew.          |       |        |        |        |
| 3 to 6 in. ....                                  | 50    | 4 00   |        |        |
| <i>cuspidata brevifolia</i> . Japanese Yew.      |       |        |        |        |
| 9 to 12 in. ....                                 | 1 00  | 8 00   |        |        |
| <i>repandens</i> . 1 to 1½ ft. ....              | 1 50  | 14 00  |        |        |
| <i>tardiva</i> . 2 to 3 ft. ....                 | 3 00  | 25 00  |        |        |
| <i>Thuja occidentalis</i> . American Arborvitae. |       |        |        |        |
| 1 to 1½ ft. ....                                 | 30    | 2 50   |        |        |
| 2 to 3 ft. ....                                  | 60    | 5 00   |        |        |
| 3 to 4 ft. ....                                  | 1 00  | 8 00   | 65 00  |        |
| 4 to 5 ft. ....                                  | 1 50  | 12 50  |        |        |
| <i>occidentalis</i> . George Peabody.            |       |        |        |        |
| 2 to 3 ft. ....                                  | 1 50  | 12 00  |        |        |
| <i>occidentalis hoveyi</i> . 1½ to 2 ft. ....    | 1 00  | 8 00   |        |        |
| <i>occidentalis pyramidalis</i>                  |       |        |        |        |
| 1 to 1½ ft. ....                                 | 60    | 5 00   | 40 00  |        |
| 1½ to 2 ft. ....                                 | 1 00  | 8 00   | 70 00  |        |
| 2 to 3 ft. ....                                  | 1 50  | 12 00  | 110 00 |        |
| 3 to 4 ft. ....                                  | 2 00  | 18 00  |        |        |
| <i>occidentalis sibirica (wareana)</i> .         |       |        |        |        |
| 2 to 3 ft. ....                                  | 1 50  | 12 50  |        |        |
| <i>orientalis aurea conspicua</i> .              |       |        |        |        |
| 1 to 1½ ft. ....                                 | 1 25  | 10 00  |        |        |
| 5 to 6 ft. ....                                  | 3 50  |        |        |        |
| <i>orientalis aurea nana</i> .                   |       |        |        |        |
| 1 to 1½ ft. ....                                 | 60    | 5 00   |        |        |
| <i>orientalis aurea pyramidalis</i> .            |       |        |        |        |
| 1 to 2 ft. ....                                  | 60    |        |        |        |
| <i>orientalis elegantissima</i> .                |       |        |        |        |
| 1 to 1½ ft. ....                                 | 50    | 4 00   | 30 00  |        |
| 1½ to 2 ft. ....                                 | 1 00  | 8 00   | 60 00  |        |
| 2 to 2½ ft. ....                                 | 1 50  | 12 50  |        |        |
| <i>Tilia europaea (vulgaris)</i> .               |       |        |        |        |
| 12 to 14 ft. ....                                | 3 50  | 30 00  |        |        |
| 16 to 18 ft. ....                                | 6 00  | 55 00  |        |        |
| <i>heterophylla</i> . 4 to 6 ft. ....            | 1 00  | 8 00   |        |        |
| 6 to 8 ft. ....                                  | 1 50  | 12 00  |        |        |
| <i>Tsuga canadensis</i> . Canadian Hemlock.      |       |        |        |        |
| 2 to 4 in. tr. ....                              | 15    | 1 25   | 10 00  | 80 00  |
| 4 to 6 in. tr. ....                              | 20    | 1 50   | 12 00  | 100 00 |
| 2 to 3 ft. ....                                  | 1 25  | 10 00  | 90 00  |        |
| 3 to 4 ft. ....                                  | 1 75  | 15 00  | 140 00 |        |
| 4 to 5 ft. ....                                  | 3 00  | 27 50  | 250 00 |        |
| 5 to 6 ft. ....                                  | 5 00  | 45 00  | 400 00 |        |
| 7 to 8 ft. ....                                  | 8 00  | 75 00  | 700 00 |        |
| 8 to 10 ft. ....                                 | 10 00 | 90 00  |        |        |
| <i>caroliniana</i> . Carolina Hemlock.           |       |        |        |        |
| 2 to 4 in. ....                                  | 20    | 1 50   | 11 00  | 90 00  |
| 4 to 6 in. ....                                  | 30    | 1 75   | 15 00  | 120 00 |
| 3 to 4 ft. ....                                  | 4 00  |        |        |        |
| 4 to 5 ft. ....                                  | 6 00  | 50 00  |        |        |
| 5 to 6 ft. ....                                  | 10 00 | 90 00  |        |        |
| 6 to 7 ft. ....                                  | 15 00 | 140 00 |        |        |
| 7 to 8 ft. ....                                  | 18 00 | 175 00 |        |        |
| <i>heterophylla</i> . 3 to 6 in. ....            | 30    | 2 50   |        |        |
| <i>mertensiana</i> . 2 to 3 in. ....             | 30    | 2 50   |        |        |
| <i>sieboldi</i> . 3 to 4 ft. ....                | 6 00  | 50 00  |        |        |

### DECIDUOUS TREES AND SHRUBS

|   | Each | 10    | 100   | 1,000  |
|---|------|-------|-------|--------|
| <i>Acer dasycarpum</i> . Silver Maple.              |      |       |       |        |
| 12 to 14 ft. ....                                   | 1 75 | 15 00 |       |        |
| <i>dasycarpum weiri</i> . Cut-leaved Weeping Maple. |      |       |       |        |
| 12 to 15 ft. ....                                   | 2 50 | 20 00 |       |        |
| <i>ginnala</i> . 4 to 6 ft. ....                    | 1 00 | 7 50  | 65 00 |        |
| <i>pictum</i> . 4 to 6 in. ....                     | 25   | 2 00  |       |        |
| <i>platanoides</i> . Norway Maple.                  |      |       |       |        |
| 4 to 5 ft. ....                                     | 40   | 3 50  | 30 00 |        |
| 5 to 6 ft. ....                                     | 60   | 5 00  | 40 00 |        |
| 6 to 7 ft. ....                                     | 75   | 6 00  | 50 00 |        |
| 12 to 14 ft. ....                                   | 3 50 | 30 00 |       |        |
| <i>rubrum</i> . Red Maple.                          |      |       |       |        |
| 3 to 4 ft. ....                                     | 50   | 4 00  |       |        |
| 4 to 5 ft. ....                                     | 75   | 6 00  |       |        |
| <i>saccharum</i> . Sugar Maple.                     |      |       |       |        |
| 3 to 4 ft. ....                                     | 30   | 2 00  | 15 00 | 125 00 |
| 4 to 5 ft. ....                                     | 40   | 3 50  | 30 00 | 250 00 |
| 5 to 6 ft. ....                                     | 50   | 4 50  | 40 00 |        |
| 6 to 7 ft. ....                                     | 65   | 6 00  | 50 00 |        |



# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### DECIDUOUS TREES AND SHRUBS (continued)

|  | Each | 10   | 100   | 1,000 |
|--|------|------|-------|-------|
| <i>Acer spicatum</i> . Mountain Maple.       |      |      |       |       |
| 1 to 1½ ft. ....                             | 30   | 2 00 |       |       |
| 2 to 3 ft. ....                              | 40   | 3 00 |       |       |
| <i>Amelanchier botryapium</i> . Shad Bush.   |      |      |       |       |
| 2 to 3 ft. ....                              | 30   | 2 50 | 20 00 |       |
| 3 to 4 ft. ....                              | 40   | 3 00 | 25 00 |       |
| 4 to 6 ft. ....                              | 50   | 4 00 | 35 00 |       |
| <i>Amorpha nana</i> . 6 to 9 in. ....        | 50   | 4 00 |       |       |
| <i>Aralla spinosa</i> . 3 to 4 ft. ....      | 30   | 2 50 |       |       |
| <i>Aronia arbutifolia</i> . 1½ to 2 ft. .... | 65   | 5 00 | 40 00 |       |
| 3 to 4 ft. ....                              | 1 00 | 8 50 | 65 00 |       |
| <i>erythrocarpa</i> . Dwarf.                 |      |      |       |       |
| 1½ to 2 ft. ....                             | 75   | 6 00 |       |       |
| <i>erythrocarpa</i> , tall. 2 to 3 ft.       | 75   | 6 00 |       |       |
| <i>melanocarpa</i> . 1 to 2 ft. ....         | 75   | 6 00 |       |       |
| <i>melanocarpa elata</i> . 1 yr. S. ....     | 40   | 3 00 |       |       |
| <i>melanocarpa grandiflora</i> .             |      |      |       |       |
| 1 yr. S. ....                                | 40   | 3 00 |       |       |
| <i>nigra</i> . Black Chokeberry.             |      |      |       |       |
| 1 to 2 ft. ....                              | 40   | 3 00 | 27 50 |       |
| 2 to 3 ft. ....                              | 60   | 5 00 | 45 00 |       |

### HARDY AZALEAS

The finest Azaleas in the world for permanent planting under American conditions are native species, including *A. arborescens*, *A. vaseyi*, *A. lutea* (calendulacea), the great flame-colored Azalea, and *A. nudiflora*, *A. viscosa* and *A. canescens*.

I have a stock of thousands of the finest plants in all sizes that will give immediate effect, and prices will be sent on request. It should be remembered that Azaleas play a very important part in the making of a permanent Rhododendron-bed, but care must be used to avoid clashing of colors. I shall be glad to make up proper combinations for my customers.

| <i>Azalea arborescens</i> . Fragrant White Azalea.  | Each   | 10     | 100     | 1,000 |
|---|--------|--------|---------|-------|
| 9 to 12 in. ....  | \$0 40 | \$3 50 | \$25 00 |       |
| 1 to 1½ ft. ....  | 60     | 5 00   | 45 00   |       |
| 1 to 1½ ft. clumps. ....  | 1 50   | 12 50  | 100 00  |       |
| 1½ to 2 ft. clumps. ....  | 2 50   | 22 50  | 200 00  |       |
| 2 to 3 ft. clumps. ....   | 4 00   | 35 00  |         |       |
| 3 to 4 ft. clumps. ....   | 6 00   | 50 00  |         |       |
| <i>canescens</i> . 1 to 1½ ft. ....   | 60     | 5 00   |         |       |
| <i>gandavensis</i> . Ghent Azalea. A much finer and more permanent variety than <i>mollis</i> . |        |        |         |       |
| 2 to 3 ft. clumps. ....   | 1 50   | 12 00  |         |       |

***Azalea lutea*.** (calendulacea). Flame Azalea. This is the most striking shrub of our eastern states. Colors range from light sulphur-yellow to dark red. We have a large number selected and marked according to shade, and can supply them at 25 per cent increase in price.

|                                    | Each | 10    | 100   | 1,000 |
|------------------------------------|------|-------|-------|-------|
| 6 to 12 in. ....                   | 30   | 1 75  | 15 00 |       |
| 1 to 1½ ft. ....                   | 50   | 3 00  | 27 50 |       |
| 1½ to 2 ft. ....                   | 60   | 4 00  | 35 00 |       |
| 9 to 12 in. clumps. ....           | 25   | 2 00  | 17 50 |       |
| 1 to 1½ ft. clumps. ....           | 80   | 7 00  | 60 00 |       |
| 1½ to 2 ft. clumps. ....           | 1 50 | 10 00 |       |       |
| 2 to 3 ft. clumps. ....            | 2 00 | 18 00 |       |       |
| 3 to 4 ft. clumps. ....            | 3 50 | 30 00 |       |       |
| 4 to 5 ft. clumps. ....            | 5 00 | 45 00 |       |       |
| <i>mollis</i> . 1 to 1½ ft. ....   | 75   | 6 00  | 50 00 |       |
| 1½ to 2 ft. ....                   | 1 00 | 8 00  | 70 00 |       |
| 2 to 3 ft. ....                    | 1 25 | 12 00 |       |       |
| <i>nudiflora</i> . Pinxter Flower. |      |       |       |       |
| 9 to 12 in. ....                   | 30   | 2 50  | 20 00 |       |
| 9 to 12 in. clumps. ....           | 60   | 5 00  | 40 00 |       |
| 1 to 1½ ft. clumps. ....           | 80   | 7 00  | 65 00 |       |
| <i>pontica</i> . 6 to 9 in. ....   | 25   | 2 00  | 18 00 |       |

***Azalea vaseyi*.** Southern Azalea. Delicate shell-textured flowers from pink to pure white, the most charming Azalea known.

|                          | Each | 10    | 100    | 1,000 |
|--------------------------|------|-------|--------|-------|
| 9 to 12 in. ....         | 60   | 5 00  | 40 00  |       |
| 1 to 1½ ft. ....         | 75   | 6 00  | 50 00  |       |
| 1½ to 2 ft. ....         | 1 00 | 7 00  | 60 00  |       |
| 2 to 3 ft. ....          | 2 00 | 18 00 |        |       |
| 1 to 1½ ft. clumps. .... | 1 00 | 7 00  | 60 00  |       |
| 1½ to 2 ft. clumps. .... | 1 75 | 15 00 | 130 00 |       |
| 2 to 3 ft. clumps. ....  | 3 00 | 25 00 | 200 00 |       |
| 4 ft. clumps. ....       | 4 00 | 35 00 |        |       |

# KELSEY'S Hardy American Plants Rhododendrons and Azaleas

## Catalog of BOXFORD NURSERY

### DECIDUOUS TREES AND SHRUBS (continued)

|   | Each | 10    | 100   | 1,000  |
|---|------|-------|-------|--------|
| <b>Azalea viscosa.</b> Early White Azalea.  |      |       |       |        |
| 1 to 1½ ft. ....  | 50   | 4 00  | 30 00 |        |
| 1 to 1½ ft. clumps ....   | 1 00 | 8 00  | 70 00 |        |
| 1½ to 2 ft. clumps ...  | 1 50 | 12 50 |       |        |
| 2 to 4 ft. clumps ....  | 3 00 | 25 00 |       |        |
| <b>Berberis aggregata.</b> A new species collected by I. H. Wilson in Central China. Probably a fine hedge plant. |      |       |       |        |
| 1 to 1½ ft. ....  | 75   | 6 00  |       |        |
| <b>canadensis.</b> American Barberry.   |      |       |       |        |
| 1½ to 2 ft. ....  | 75   | 6 00  |       |        |
| <b>Korea No. 6095,</b> 2 yr. tr.....  | 50   |       |       |        |
| <b>pruinosa.</b> 10 to 12 in.....   | 50   |       |       |        |
| <b>repens.</b> 4 to 6 in.....   | 40   | 3 00  | 25 00 |        |
| <b>sanguinolenta.</b> 8 to 12 in.....   | 40   | 3 00  |       |        |
| <b>thunbergi.</b> Japanese Barberry.  |      |       |       |        |
| 9 to 12 in. ....  | 20   | 1 75  | 15 00 |        |
| 1 to 1½ ft. ....  | 35   | 3 00  | 27 50 |        |
| 1½ to 2 ft. ....  | 50   | 4 50  | 40 00 |        |
| 2 to 2½ ft. ....  | 60   | 5 50  | 50 00 |        |
| <b>vulgaris.</b> Common Barberry.   |      |       |       |        |
| 6 to 9 in. S. ....  | 15   | 75    | 5 00  | 30 00  |
| 1½ to 2 ft. ....  | 30   | 2 50  | 20 00 |        |
| 2 to 3 ft. ....   | 40   | 3 50  |       |        |
| <b>Betula alba.</b> European White Birch.   |      |       |       |        |
| 3 to 4 ft. ....   | 40   | 3 00  |       |        |
| 4 to 5 ft. ....   | 50   | 4 00  |       |        |
| 5 to 6 ft. ....   | 75   | 5 00  | 40 00 |        |
| 6 to 8 ft. ....   | 1 00 | 8 00  | 60 00 |        |
| <b>nigra (rubra).</b> 2 to 3 ft.....  | 40   | 3 00  |       |        |
| <b>papyrifera.</b> 3 to 4 ft.....   | 40   | 3 00  | 25 00 | 200 00 |
| <b>populifolia.</b> 4 to 5 ft. ....   | 50   | 4 00  |       |        |
| <b>Caragana arborescens.</b> 3 to 4 ft.   | 50   | 4 00  |       |        |
| <b>arborescens cuneifolia.</b> 2 yr.  | 25   | 2 00  |       |        |
| <b>arborescens pendula.</b> 6 to 9 in.  | 25   | 2 00  |       |        |
| <b>Carpinus caroliniana (americana).</b> Water Beech.   |      |       |       |        |
| 3 to 4 ft. ....   | 40   | 3 50  | 30 00 |        |
| 5 to 6 ft. ....   | 60   | 5 00  | 40 00 |        |
| 6 to 8 ft. ....   | 75   | 6 00  |       |        |
| <b>Castanea pumila.</b> Chinkapin.  |      |       |       |        |
| 1½ to 2 ft. ....  | 50   | 4 50  |       |        |
| 2 to 3 ft. ....   | 75   | 6 00  |       |        |
| <b>Catalpa speciosa.</b> 3 to 4 ft.....   | 25   | 2 00  | 15 00 |        |
| 4 to 5 ft. ....   | 35   | 3 00  |       |        |
| 5 to 6 ft. ....   | 50   | 4 00  |       |        |
| <b>Cephalanthus occidentalis.</b>   |      |       |       |        |
| 2 to 3 ft. ....   | 35   | 2 50  |       |        |
| <b>Cercidiphyllum japonicum.</b> Kadsura Tree.  |      |       |       |        |
| 1½ to 2 ft. ....  | 50   | 3 50  |       |        |
| 4 to 5 ft. ....   | 1 00 | 8 00  |       |        |
| <b>Chionanthus virginica.</b> White Fringe.   |      |       |       |        |
| 2 to 3 ft. ....   | 50   | 4 00  | 30 00 |        |
| <b>Clethra acuminata.</b> Mountain Pepper Bush.   |      |       |       |        |
| 1½ ft. ....   | 40   | 3 00  |       |        |
| <b>alnifolia.</b> Sweet Pepper Bush.  |      |       |       |        |
| 1 to 1½ ft. clumps ....   | 35   | 3 00  | 25 00 |        |
| 2 to 3 ft. clumps ....  | 50   | 4 00  |       |        |
| <b>Colutea arborescens.</b> 6 to 12 in.   | 25   | 2 00  |       |        |
| <b>Cornus florida.</b> 1 to 1½ ft.....  | 25   | 1 75  |       |        |
| <b>florida rubra.</b> Red-flowering Dogwood.  |      |       |       |        |
| 1 to 2 ft. ....   | 1 50 | 12 00 |       |        |
| <b>kousa.</b> 6 to 8 ft. ....   | 1 75 | 15 00 |       |        |
| <b>mas.</b> Cornelian Cherry.   |      |       |       |        |
| 4 to 5 ft. ....   | 75   |       |       |        |
| <b>siberica alba.</b> 3 to 4 ft.....  | 50   | 4 00  |       |        |
| <b>stolonifera.</b> Red Osier Cornel.   |      |       |       |        |
| 2½ to 3 ft. ....  | 30   | 2 50  | 20 00 |        |
| <b>stolonifera aurea.</b> Yellow Osier Cornel.  |      |       |       |        |
| 2 to 3 ft. ....   | 65   | 5 00  | 40 00 |        |
| 3 to 4 ft. ....   | 80   | 7 00  | 60 00 |        |
| <b>Corylus rostrata.</b> Beaked Hazelnut.   |      |       |       |        |
| 1½ to 2 ft. ....  | 25   | 1 75  | 15 00 |        |
| <b>Cotoneaster horizontalis davidiana.</b>  |      |       |       |        |
| 6 to 12 in. ....  | 1 50 | 12 50 |       |        |
| <b>Crataegus arkansana.</b>   |      |       |       |        |
| 2 to 4 in. ....   | 30   |       |       |        |

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### DECIDUOUS TREES AND SHRUBS (continued)

|  | Each | 10    | 100    | 1,000 |
|--|------|-------|--------|-------|
| <i>Crataegus arnoldiana</i> . 6 to 12 in                     | 30   | 2 00  | 18 00  |       |
| <i>coccinea</i> . Scarlet Thorn.                             |      |       |        |       |
| 2½ ft. ....  | 35   | 3 00  |        |       |
| <i>crus-galli</i> . Cockspur Thorn.                          |      |       |        |       |
| 2 to 3 ft. ....  | 40   | 3 00  | 20 00  |       |
| 4 to 5 ft. ....  | 60   | 5 00  | 40 00  |       |
| <i>glandulosa typica</i> . 1½ ft.....                        | 50   | 4 00  |        |       |
| <i>monogyna</i> . 1 to 2 in.....                             | 20   | 1 50  |        |       |
| <i>oxyacantha</i> . English Thorn.                           |      |       |        |       |
| 2 to 3 ft. ....  | 75   | 6 00  |        |       |
| <i>oxyacantha</i> , Paul's Scarlet.                          |      |       |        |       |
| 2 to 3 ft. ....  | 75   | 6 00  |        |       |
| <i>oxyacantha</i> , Pink. 2 to 3 ft. ..                      | 1 00 | 8 00  |        |       |
| <i>oxyacantha</i> , Double White.....                        | 75   | 6 00  |        |       |
| <i>punctata</i> . 1 to 2 ft.....                             | 30   | 2 50  | 20 00  |       |
| 2 to 3 ft. ....  | 45   | 3 50  | 30 00  |       |
| 4 to 5 ft. ....  | 60   | 5 00  |        |       |
| <i>prunifolium</i> . 2 to 4 in. ....                         | 20   | 1 50  |        |       |
| <i>tomentosa</i> . 6 to 8 in.....                            | 20   | 1 50  |        |       |
| <i>Cydonia</i> ( <i>Chaenomeles</i> ) <i>japonica</i> .      |      |       |        |       |
| 1 to 1½ ft. ....   | 30   | 2 00  |        |       |
| <i>japonica baltzi</i> . 1 to 1½ ft..                        | 50   | 4 00  |        |       |
| <i>maulei</i> . 6 to 12 in.....                              | 25   | 2 00  |        |       |
| <i>maulei superba</i> . 9 to 12 in..                         | 40   | 3 00  |        |       |
| <i>Diervilla lutea</i> . 2 to 3 ft.....                      | 30   | 2 50  | 20 00  |       |
| <i>rivularis</i> . 1 yr. S.....                              | 10   | 75    |        |       |
| <i>sessilifolia</i> . Bush Honeysuckle.                      |      |       |        |       |
| 6 to 12 in. ....   | 20   | 1 50  | 8 00   | 60 00 |
| 2 to 3 ft. ....  | 50   | 4 00  | 25 00  |       |
| <i>Euonymus alatus</i> . Winged Burning Bush.                |      |       |        |       |
| 1 to 1½ ft. ....   | 60   | 5 00  | 40 00  |       |
| 1½ to 2 ft. ....   | 1 00 | 8 00  | 70 00  |       |
| 3 to 4 ft. ....  | 1 75 | 15 00 | 120 00 |       |
| <i>americanus</i> . Strawberry Bush.                         |      |       |        |       |
| 1 to 1½ ft. ....   | 40   | 3 50  |        |       |
| <i>bungeanus</i> . 2 to 3 ft. ....                           | 60   | 5 00  |        |       |
| <i>europaea latifolia</i> . 2 to 3 ft. 1 00                  | 8 00 |       |        |       |
| 3 to 4 ft. ....  | 1 50 | 12 00 |        |       |
| <i>obovatus</i> . 1 to 2 ft.....                             | 25   | 1 75  |        |       |
| <i>sieboldianus</i> . 6 to 12 in.....                        | 75   | 6 00  |        |       |
| <i>Forsythia fortunei</i> . Golden Bell.                     |      |       |        |       |
| 2 to 3 ft. ....  | 30   | 2 50  | 20 00  |       |
| 3 to 4 ft. ....  | 50   | 4 00  | 30 00  |       |
| 4 to 5 ft. ....  | 75   | 6 00  | 50 00  |       |
| <i>intermedia</i> . Hybrid Golden Bell.                      |      |       |        |       |
| 5 to 6 ft. ....  | 75   | 6 00  |        |       |
| 6 to 7 ft. ....  | 1 00 | 8 00  |        |       |
| <i>sieboldi</i> . 4 to 5 ft.....                             | 75   | 6 00  |        |       |
| 5 to 6 ft. ....  | 1 00 | 8 00  |        |       |
| <i>suspensa</i> . Drooping Golden Bell.                      |      |       |        |       |
| 2 to 3 ft. ....  | 35   | 3 00  | 25 00  |       |
| 3 to 4 ft. ....  | 50   | 4 00  | 35 00  |       |
| 4 to 5 ft. ....  | 75   | 6 00  |        |       |
| <i>Fraxinus americana</i> . 4 to 5 ft... 40                  | 3 50 |       |        |       |
| 5 to 6 ft. ....  | 60   | 5 00  |        |       |
| 8 to 10 ft. ....   | 1 00 | 8 00  |        |       |
| <i>lanceolata</i> ( <i>viridis</i> ). 6 to 8 ft. 75          | 6 00 |       |        |       |
| 8 to 10 ft. ....   | 1 25 | 10 00 |        |       |
| <i>Gaylussacia resinosa</i> .                                |      |       |        |       |
| 9 to 18 in "collected" plants                                | 15   | 1 00  | 8 50   |       |
| 1 to 2 ft. "collected" clumps                                | 40   | 3 50  | 30 00  |       |
| <i>Genista tinctoria</i> . Woadwaxen.                        |      |       |        |       |
| 4 to 6 in. ....  | 10   | 80    | 7 00   |       |
| 1 to 1½ ft. ....   | 35   | 3 00  | 20 00  |       |
| <i>Gleditschia triacanthos</i> .                             |      |       |        |       |
| 1 to 1½ ft. ....   | 20   | 1 50  | 12 00  |       |
| 2 to 3 ft. ....  | 30   | 2 50  | 20 00  |       |
| <i>Halesia tetraptera</i> ( <i>carolinum</i> ). Silver Bell. |      |       |        |       |
| 1 to 2 ft. ....  | 40   | 3 00  | 20 00  |       |
| 2 to 3 ft. ....  | 60   | 5 00  |        |       |
| <i>Hamamelis virginica</i> . Witch Hazel.                    |      |       |        |       |
| 1 to 1½ ft. ....   | 20   | 1 25  | 10 00  |       |
| 2 to 3 ft. ....  | 30   | 2 00  |        |       |
| <i>Hydrangea arborescens</i> . Wild Hydrangea.               |      |       |        |       |
| 1 to 1½ ft. ....   | 30   | 2 50  |        |       |
| <i>arborescens grandiflora</i> .                             |      |       |        |       |
| 1 to 2 ft. ....  | 40   | 3 50  |        |       |

## Catalog of BOXFORD NURSERY

### DECIDUOUS TREES AND SHRUBS (continued)

|  | Each | 10    | 100   | 1,000  |
|--|------|-------|-------|--------|
| <i>Ilex monticola</i> . Deciduous Holly.             |      |       |       |        |
| 2 to 3 ft.....                                       | 35   | 3 00  | 25 00 |        |
| <i>verticillata</i> . Black Alder.                   |      |       |       |        |
| 1 to 1½ ft. ....                                     | 40   | 3 50  | 30 00 |        |
| 1½ to 2 ft. ....                                     | 60   | 5 00  | 40 00 |        |
| 2 to 3 ft. ....                                      | 75   | 6 00  |       |        |
| <i>Itea virginica</i> . 1½ to 2 ft.....              | 40   | 3 00  | 20 00 |        |
| <i>Jamesia americana</i> . 1 to 1½ ft.               | 60   | 5 00  |       |        |
| <i>Kerria japonica</i> . 1 to 2 ft.....              | 40   | 3 00  | 27 00 |        |
| <i>Laburnum alpinum</i> . 6 to 12 in...              | 35   | 3 00  |       |        |
| <i>Larix laricina</i> ( <i>americana</i> ).          |      |       |       |        |
| 3 to 4 ft. ....                                      | 60   | 4 00  |       |        |
| 4 to 6 ft. ....                                      | 1 00 | 6 00  |       |        |
| 8 to 10 ft.....                                      | 1 25 | 10 00 |       |        |
| 10 to 12 ft. ....                                    | 2 00 | 18 00 |       |        |
| <i>Leucothoe racemosa</i> . 1 to 1½ ft.              | 40   | 3 50  | 30 00 |        |
| 1½ to 2 ft. ....                                     | 75   | 6 00  |       |        |
| <i>recurva</i> . Mountain Leucothoe.                 |      |       |       |        |
| 1 to 1½ ft. clumps ....                              | 40   | 3 00  | 25 00 |        |
| <i>Ligustrum amurense</i> . Northern form.           |      |       |       |        |
| 2 to 3 ft. ....                                      | 35   | 3 00  | 25 00 | 200 00 |
| <i>ibota</i> . <i>ibota</i> Privet. Perfectly hardy. |      |       |       |        |
| 1½ to 2 ft. ....                                     | 20   | 1 50  | 12 00 |        |
| 3 to 4 ft. ....                                      | 35   | 3 00  | 25 00 |        |
| <i>regelianum</i> . Regal's Privet.                  |      |       |       |        |
| 1 to 2 ft. ....                                      | 35   | 3 00  | 25 00 |        |
| 3 to 4 ft. ....                                      | 65   | 6 00  |       |        |
| <i>media</i> . 2 ft. ....                            | 35   | 3 00  | 25 00 |        |
| <i>ovallfolium</i> . California Privet.              |      |       |       |        |
| 1½ to 2 ft. ....                                     | 20   | 1 50  | 10 00 |        |
| 2 to 3 ft. ....                                      | 40   | 3 00  | 25 00 |        |
| <i>Lonicera maacki</i> . 3 to 6 in.....              | 25   | 2 00  |       |        |
| <i>morrowi</i> . Japanese Bush Honeysuckle.          |      |       |       |        |
| 3 to 4 ft. ....                                      | 60   | 4 50  |       |        |
| 4 to 5 ft. ....                                      | 1 00 | 8 00  |       |        |
| <i>muendeniensis</i> . 6 to 12 in. S...              | 25   | 2 00  |       |        |
| <i>notha</i> . 1 to 1½ ft.....                       | 40   | 3 00  |       |        |
| <i>segrezlensis</i> . 1 to 1½ ft.....                | 35   | 2 50  |       |        |
| <i>tartarica</i> . Tartarian Honeysuckle.            |      |       |       |        |
| 1 to 2 ft. ....                                      | 35   | 3 00  | 25 00 |        |
| 3 to 4 ft. ....                                      | 75   | 6 00  |       |        |
| <i>trichosantha</i> . 9 to 12 in.....                | 40   |       |       |        |
| <i>Malus</i> . Flowering Crab.                       |      |       |       |        |
| <i>angustifolia</i> . 1½ to 2 ft.....                | 40   |       |       |        |
| <i>arnoldiana</i> . 1½ to 2 ft. ....                 | 50   |       |       |        |
| <i>atrosanguinea</i> . 1 to 2 ft. ....               | 50   | 4 00  |       |        |
| <i>baccata</i> . 2 to 3 ft. ....                     | 40   | 3 00  |       |        |
| <i>baccata aurantiaca</i> .                          |      |       |       |        |
| 3 yr. 1 to 1½ ft. ....                               | 40   | 3 00  |       |        |
| <i>baccata X malus</i> .                             |      |       |       |        |
| 3 yr. 1 to 1½ ft.....                                | 40   | 3 00  |       |        |
| <i>baccata X prunifolia</i> .                        |      |       |       |        |
| 1 to 1½ ft. ....                                     | 30   | 2 50  | 20 00 |        |
| <i>cerasiformis rubra prunifolia</i> .               |      |       |       |        |
| 1 to 2 ft. ....                                      | 40   | 3 00  |       |        |
| <i>coronaria</i> . 1 ft. ....                        | 40   |       |       |        |
| <i>crataegifolia</i> . 2 to 3 ft.....                | 40   |       |       |        |
| <i>dawsoniana</i> . 1 to 1½ ft.....                  | 40   | 3 00  |       |        |
| <i>denticulata</i> . 1½ to 2 ft.....                 | 40   | 3 00  |       |        |
| <i>flora pleno</i> . 3 yr. 6 to 9 in....             | 40   |       |       |        |
| <i>floribunda</i> . 2 to 3 ft.....                   | 40   | 3 00  | 25 00 |        |
| <i>floribunda atrosanguinea</i> .                    |      |       |       |        |
| 3 to 4 ft. ....                                      | 75   | 6 00  |       |        |
| <i>fusca</i> . 1 to 2 ft.....                        | 50   |       |       |        |
| <i>lonensis</i> . 1½ ft.....                         | 60   |       |       |        |
| <i>lonensis fl. plena</i> . 6 to 12 in..             | 60   |       |       |        |
| <i>niedwetzkyana</i> . Red-flowering Crab.           |      |       |       |        |
| 1 to 2 ft. ....                                      | 40   | 3 00  |       |        |
| 3 to 4 ft. ....                                      | 75   | 6 00  |       |        |
| <i>parkmanni</i> ( <i>halliana</i> ).                |      |       |       |        |
| 1½ to 2 ft. ....                                     | 60   | 5 00  |       |        |
| 3 to 4 ft. ....                                      | 75   | 6 00  |       |        |

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### DECIDUOUS TREES AND SHRUBS (continued)

|   | Each | 10    | 100   | 1,000  |
|---|------|-------|-------|--------|
| <i>Malus prunifolia</i> , 1 to 2 in.....  | 40   |       |       |        |
| <i>ringo</i> , 1 to 1½ ft.....  | 40   |       |       |        |
| <i>sargentii</i> , 6 to 12 in.....  | 40   | 3 00  |       |        |
| 2 to 3 ft. ....   | 60   |       |       |        |
| <i>sib. crab. transcendent</i> ,<br>2 to 3 ft. ....                                     | 40   |       |       |        |
| <i>spectabilis</i> , 3 to 4 ft.....   | 60   | 5 00  | 40 00 |        |
| <i>spectabilis riversi fl. plena</i> ,<br>1½ to 2 ft. ....                              | 60   |       |       |        |
| <i>sp. kashmere crab</i> , 2 to 3 ft.   | 60   |       |       |        |
| <i>sublobata</i> , 2 to 3 ft. ....  | 75   |       |       |        |
| <i>toringo</i> , 1 to 2 ft. ....  | 40   |       |       |        |
| <i>toringo var. incisa</i> , 1½ to 2 ft.  | 60   | 5 00  |       |        |
| <i>zumii</i> , 2 to 3 ft. ....  | 75   |       |       |        |
| <i>Menziesia pilosa</i> , 1 to 2 ft.....  | 35   | 3 00  |       |        |
| <i>Myrica cerifera</i> , Bay-berry.   |      |       |       |        |
| 2 to 4 in. ....   | 10   | 80    | 6 00  | 50 00  |
| 3 to 12 in clumps ....  | 50   | 4 00  | 35 00 |        |
| <i>gale</i> , Sweet Gale, 1 yr. S.<br>9 to 18 in "collected"<br>plants ....             | 05   | 40    | 3 00  |        |
|   | 10   | 75    | 6 00  | 40 00  |
| <i>Nyssa multiflora</i> , Black Gum.<br>1 to 1½ ft. ....                                | 50   | 4 00  |       |        |
| <i>Ostrya virginica</i> , Ironwood.<br>2 to 3 ft. ....                                  | 35   | 3 00  | 25 00 |        |
| <i>Oxydendron arboreum</i> , Tree Andromeda.<br>1 to 2 ft. ....                         | 40   | 3 50  | 30 00 | 250 00 |
| 2 to 3 ft. ....   | 60   | 5 00  |       |        |
| 3 to 4 ft. ....   | 80   | 7 00  |       |        |
| 4 to 5 ft. ....   | 1 25 | 10 00 |       |        |
| <i>Populus fastigiata</i> , Lombardy Poplar.<br>5 to 6 ft. ....                         | 50   | 4 00  | 30 00 |        |
| 7 to 8 ft. ....   | 75   | 6 00  | 50 00 |        |
| 8 to 10 ft. ....  | 1 25 | 10 00 | 80 00 |        |
| 10 to 12 ft. ....   | 1 50 | 12 50 |       |        |
| <i>Prunus besseyi</i> , 1½ to 2 ft.....   | 40   | 3 50  | 25 00 |        |
| <i>maritima</i> , 2 to 3 ft. ....   | 40   | 3 00  |       |        |
| <i>pumila</i> , Sand Cherry.<br>1½ to 2 ft. ....  | 40   | 3 50  | 30 00 |        |
| 2 to 3 ft. ....   | 50   | 4 00  |       |        |
| 3 to 4 ft. ....   | 75   | 6 00  | 50 00 |        |
| <i>sargentii</i> , 1 to 1½ ft.....  | 75   |       |       |        |
| <i>tomentosa</i> , 3 to 4 ft.....   | 50   | 4 00  |       |        |
| <i>triloba</i> , 3 to 4 ft. ....  | 75   |       |       |        |
| <i>Quercus bannesteri</i> , 3 to 4 ft... 1 00   |      |       |       |        |
| <i>cerris</i> , 4 to 5 ft..... 1 00   |      |       |       |        |
| <i>macrocarpa</i> , Mossy-Cup Oak.<br>5 to 6 ft. .... 1 25                              |      |       |       |        |
| <i>palustris</i> , Pin Oak.<br>4 to 6 ft. .... 60 5 00                                  |      |       |       |        |
| 6 to 8 ft. .... 1 00 8 00   |      |       |       |        |
| 8 to 10 ft. .... 1 75 15 00 125 00  |      |       |       |        |
| 10 to 12 ft. .... 3 00  |      |       |       |        |
| <i>platanoides (bicolor)</i> , 1 to 2 ft. 50 4 00                                       |      |       |       |        |
| <i>prinus</i> , 6 to 8 ft. .... 1 00  |      |       |       |        |
| 8 to 10 ft. .... 2 00   |      |       |       |        |
| <i>rubra</i> , 4 to 6 ft..... 50 4 00   |      |       |       |        |
| 6 to 8 ft. .... 75 6 00   |      |       |       |        |
| 8 to 10 ft. .... 1 50   |      |       |       |        |
| <i>Rhamnus dahurica</i> , 3 to 4 ft... 40 3 00  |      |       |       |        |
| <i>Rhodora canadensis</i> , 2 to 3 ft... 75 6 00  |      |       |       |        |
| <i>Rhodotypos kerrioides</i> , White Kerria.<br>2 to 3 ft. .... 40 3 50                 |      |       |       |        |
| <i>Rhus aromatica (canadensis)</i> , Sweet-scented Sumac.<br>4 to 6 in. .... 10 80 7 00 |      |       |       |        |
| 1 to 2 ft. .... 25 1 75 15 00   |      |       |       |        |
| <i>copallina</i> , Upland Sumac.<br>3 to 4 ft. .... 30 2 00 18 00                       |      |       |       |        |
| <i>glabra</i> , 1 to 1½ ft..... 20 1 50 12 00   |      |       |       |        |
| <i>Ribes aureum</i> , Flowering Currant.<br>1½ to 2 ft. .... 25 2 00 18 00              |      |       |       |        |
| 2 to 3 ft. .... 40 3 00 27 50   |      |       |       |        |
| 4 to 5 ft. .... 60 5 00   |      |       |       |        |
| <i>Rosa blanda</i> , Meadow Rose.<br>2 to 3 ft. .... 40 3 50 30 00                      |      |       |       |        |
| <i>canina</i> , 2 yr. 1 to 1½ ft.... 20 1 50 12 00                                      |      |       |       |        |
| <i>carolina</i> , 2 to 3 ft. .... 25 2 00 18 00   |      |       |       |        |

## Catalog of BOXFORD NURSERY

### DECIDUOUS TREES AND SHRUBS (continued)

|  | Each | 10   | 100   | 1,000 |
|--|------|------|-------|-------|
| <i>Rosa corifolia</i> . 8 to 10 in.....                        | 25   | 2 00 | 18 00 |       |
| <i>glana</i> . 4 to 6 in.....                                  | 25   | 2 00 | 18 00 |       |
| <i>gymocarpa</i> . 1 to 1½ ft. ....                            | 35   | 3 00 |       |       |
| <i>humilis</i> . 1 to 1½ ft. ....                              | 30   | 2 50 |       |       |
| <i>lucida</i> . Glossy Rose.                                   |      |      |       |       |
| 1 to 1½ ft. ....   | 30   | 2 50 | 20 00 |       |
| 1½ to 2 ft. ....   | 35   | 3 00 | 25 00 |       |
| 2 to 3 ft. ....  | 45   | 4 00 | 35 00 |       |
| <i>macrophylla</i> . 3 to 6 in. ....                           | 30   | 2 50 |       |       |
| <i>multiflora</i> . 1 to 2 ft.....                             | 25   | 2 00 |       |       |
| 2 to 3 ft. ....  | 40   | 3 50 | 30 00 |       |
| 3 to 4 ft. ....  | 60   | 5 00 |       |       |
| <i>nitida</i> . 1 to 1½ ft.....                                | 30   | 2 50 | 20 00 |       |
| 1½ to 2 ft. ....   | 40   | 3 50 | 30 00 |       |
| <i>nutkana hispida</i> . 6 to 9 in...                          | 50   |      |       |       |
| <i>rubiginosa</i> . 2 to 3 ft.....                             | 40   | 3 00 | 25 00 |       |
| 3 to 4 ft. ....  | 60   | 5 00 | 40 00 |       |
| <i>rugosa</i> . Japanese Rose.                                 |      |      |       |       |
| 1 to 2 ft. ....  | 40   | 3 50 | 30 00 |       |
| 2 to 3 ft. ....  | 50   | 4 50 | 40 00 |       |
| 3 to 4 ft. ....  | 65   | 6 00 | 50 00 |       |
| <i>rugosa alba</i> . White Japanese Rose.                      |      |      |       |       |
| 1 to 2 ft. ....  | 40   | 3 50 | 30 00 |       |
| 2 to 3 ft. ....  | 60   | 5 00 | 40 00 |       |
| <i>semenovi</i> . 4 to 6 in.....                               | 40   | 3 00 |       |       |
| <i>spinosissima</i> . Scotch Rose.                             |      |      |       |       |
| 1 to 2 ft. ....  | 60   | 5 00 |       |       |
| <i>spinosissima penicillata</i> .                              |      |      |       |       |
| 3 to 6 in. ....  | 50   | 4 00 |       |       |
| <i>spinosissima pusilla</i> .                                  |      |      |       |       |
| 1 to 1½ ft. ....   | 50   | 4 00 |       |       |
| <i>woodsii</i> . 1 to 1½ ft.....                               | 40   | 3 00 |       |       |
| <i>Rubus delicosus</i> . Rocky Mountain Flowering Raspberry.   |      |      |       |       |
| 1 to 2 ft. ....  | 60   | 5 00 |       |       |
| <i>odoratus</i> . Flowering Raspberry.                         |      |      |       |       |
| 3 to 4 ft. ....  | 35   | 3 00 |       |       |
| <i>Salix acutifolia</i> . 3 to 4 ft.....                       | 25   | 2 00 |       |       |
| <i>alba acutifolia</i> . 2 to 3 ft.....                        | 25   | 2 00 |       |       |
| <i>alba bodfordiana</i> . 2 to 3 ft..                          | 25   | 2 00 |       |       |
| <i>alba X fragilis</i> , male. 4 to 5 ft                       | 35   | 3 00 |       |       |
| <i>alba X purpurea</i> . 3 to 4 ft..                           | 35   | 3 00 |       |       |
| <i>ambigua</i> . 2 to 3 ft.....                                | 25   | 2 00 |       |       |
| <i>amygdalina</i> var. <i>discolor</i> .                       |      |      |       |       |
| 4 to 5 ft. ....  | 30   | 3 00 |       |       |
| <i>aurita x phyllofolia</i> . 2 to 3 ft.                       | 25   |      |       |       |
| <i>bicolor</i> . 2 to 3 ft. ....                               | 25   | 2 00 |       |       |
| <i>bullata</i> . 1 to 1½ ft. ....                              | 25   | 2 00 |       |       |
| <i>caprea x cinerea</i> . 3 to 4 ft....                        | 25   | 2 00 |       |       |
| <i>caprea x nigricans</i> . 1 to 1½ ft.                        | 25   | 2 00 |       |       |
| 1 to 1½ ft. ....   | 25   | 2 00 |       |       |
| <i>caprea x purpurea</i> , female                              |      |      |       |       |
| 3 to 4 ft. ....  | 35   | 3 00 |       |       |
| <i>cinerea</i> . 2 to 3 ft.....                                | 35   |      |       |       |
| <i>coerulea</i> . 2 to 3 ft. ....                              | 25   | 2 00 |       |       |
| <i>cordata</i> . 3 to 4 ft.....                                | 30   | 2 50 |       |       |
| <i>daphnoides x eleagnus</i> , male.                           |      |      |       |       |
| 3 to 4 ft. ....  | 35   |      |       |       |
| <i>elaeanus incana</i> . 1½ to 2 ft.                           | 25   | 2 00 |       |       |
| <i>elaeanus linearis</i> , male.                               |      |      |       |       |
| 1 to 1½ ft.....  | 35   |      |       |       |
| <i>erdingeri</i> (Fine). 4 to 5 ft....                         | 50   |      |       |       |
| <i>glabra</i> var. <i>filicifolia</i> or <i>bilienifolia</i> . |      |      |       |       |
| (Fine) 1½ ft. ....   | 50   |      |       |       |
| <i>glabra tiliacifolia</i> . 1 to 1½ ft..                      | 35   | 3 00 |       |       |
| <i>glaucophylla</i> . 2 to 3 ft.....                           | 30   | 2 50 |       |       |
| <i>gracilstyla</i> . (Fine). 1 to 1½ ft.                       | 30   | 2 50 |       |       |
| <i>hastata</i> , female. 1 to 1½ ft..                          | 25   | 2 00 |       |       |
| <i>hexandra</i> . 2 to 3 ft.....                               | 25   | 2 00 |       |       |
| <i>holosericea</i> . 2 to 3 ft. ....                           | 25   | 2 00 |       |       |
| <i>humilis</i> , (female). Prairie Willow.                     |      |      |       |       |
| 2 to 3 ft. ....  | 25   | 2 00 |       |       |
| <i>lucida</i> . 3 to 4 ft.....                                 | 30   | 3 00 |       |       |
| <i>myrtoides</i> , female. 4 to 5 ft..                         | 40   | 3 50 |       |       |

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### DECIDUOUS TREES AND SHRUBS (continued)

|   | Each | 10   | 100   | 1,000 |
|---|------|------|-------|-------|
| <i>Salix nigricans</i> var. <i>damascena</i> .          |      |      |       |       |
| 1½ to 2 ft .....  | 35   | 3 00 |       |       |
| <i>nigricans</i> X <i>phylicifolia</i> .                |      |      |       |       |
| 1½ to 2 ft. ....  | 30   | 2 50 |       |       |
| <i>nigricans</i> var. <i>vibernoides</i> .              |      |      |       |       |
| 4 to 5 ft. ....   | 50   | 4 00 |       |       |
| <i>niobe</i> weeping. 3 to 4 ft....                     | 40   | 3 00 |       |       |
| <i>pentandra</i> . 8 to 10 ft.....                      | 60   | 5 00 |       |       |
| <i>petiolaris</i> . 2 to 3 ft.....                      | 35   | 3 00 |       |       |
| <i>petyoldi</i> . 2 to 3 ft.....                        | 35   | 3 00 |       |       |
| <i>pipei.</i> 3 to 4 ft. ....                           | 35   | 3 00 |       |       |
| <i>pontederana</i> , female. 2 to 3 ft.                 | 35   | 3 00 |       |       |
| <i>purpurea</i> var. <i>amplescecaules</i> , male.      |      |      |       |       |
| 1 to 2 ft. ....   | 25   |      |       |       |
| <i>purpurea</i> <i>glaucescens</i> .                    |      |      |       |       |
| 1½ to 2 ft. ....  | 35   |      |       |       |
| <i>purpurea</i> X <i>grandiflora</i> .                  |      |      |       |       |
| 3 to 4 ft. ....   | 40   |      |       |       |
| <i>purpurea</i> <i>kerksi</i> . 1½ to 2 ft...           | 35   | 3 00 |       |       |
| <i>purpurea</i> <i>lambertina</i> . 4 to 5 ft.          | 35   | 3 00 |       |       |
| <i>purpurea</i> X <i>sericea</i> , female.              |      |      |       |       |
| 2 to 3 ft.....  | 40   | 3 50 |       |       |
| <i>repens</i> <i>argentea</i> . 1½ to 2 ft.             | 30   | 2 50 |       |       |
| <i>repens</i> <i>elatios</i> , female.                  |      |      |       |       |
| 2 to 3 ft. ....   | 30   | 2 50 |       |       |
| <i>rosmarinifolia</i> . 2 to 3 ft....                   | 30   | 2 50 |       |       |
| Russian Golden. 3 to 4 ft..                             | 25   | 2 00 | 16 00 |       |
| <i>saeramentana</i> . 3 to 4 ft....                     | 30   | 2 50 |       |       |
| <i>sericea</i> . 1½ to 2 ft. ....                       | 30   | 2 50 |       |       |
| <i>sesquiteria</i> . 2 to 3 ft.....                     | 30   | 2 50 |       |       |
| <i>sieboldiana</i> . 2 to 3 ft.....                     | 30   | 2 50 |       |       |
| <i>viminalls</i> . 4 to 5 ft.....                       | 25   | 2 00 |       |       |
| <i>viminalls</i> , var. <i>sangorica</i> , male.        |      |      |       |       |
| 1½ to 2 ft. ....  | 40   |      |       |       |
| <i>vitellina</i> var. <i>pendula</i> . 3 to 4 ft.       | 40   |      |       |       |
| <i>vitellina</i> var. <i>pendula aurea</i> .            |      |      |       |       |
| 2 to 3 ft. ....   | 30   | 2 50 |       |       |
| Wisconsin weeping. 3 to 4 ft.                           | 30   | 2 50 | 20 00 |       |
| <i>Sambucus canadensis</i> . American Elder.            |      |      |       |       |
| 1 to 2 ft. ....   | 35   | 3 00 | 20 00 |       |
| 2 to 3 ft. ....   | 40   | 3 50 |       |       |
| 4 to 5 ft. ....   | 75   | 6 00 |       |       |
| <i>canadensis acutiflora</i> .                          |      |      |       |       |
| 9 to 12 in. ....  | 40   | 3 50 |       |       |
| <i>canadensis chlorocarpa</i> .                         |      |      |       |       |
| 2 to 3 ft. ....   | 40   | 3 50 |       |       |
| <i>canadensis maxima</i> . 9 to 12 in.                  | 40   |      |       |       |
| <i>canadensis racemosa</i> . 2 to 3 ft.                 | 40   | 3 00 |       |       |
| 3 to 4 ft.....  | 60   | 4 50 |       |       |
| 4 to 5 ft. ....   | 1 00 |      |       |       |
| <i>canadensis racemosa sieboldiana</i> .                |      |      |       |       |
| 3 to 4 ft. ....   | 75   |      |       |       |
| <i>Spiraea Anthony Waterer</i> .                        |      |      |       |       |
| 1 to 2 ft. ....   | 40   | 3 50 |       |       |
| <i>thunbergi</i> . Snow Garland.                        |      |      |       |       |
| 1 to 2 ft. ....   | 35   | 3 00 | 20 00 |       |
| 2 to 3 ft. ....   | 50   | 4 00 | 30 00 |       |
| <i>van houttei</i> . Bridal Wreath.                     |      |      |       |       |
| 1½ to 2 ft. ....  | 30   | 2 00 | 18 00 |       |
| 2 to 3 ft. ....   | 50   | 4 00 | 30 00 |       |
| <i>tomentosa</i> . Steeple Bush.                        |      |      |       |       |
| 2 to 3 ft. clumps .....                                 | 50   | 4 00 | 30 00 |       |
| <i>Stephanandra flexuosa</i> .                          |      |      |       |       |
| 1 to 1½ ft. ....  | 25   | 2 00 | 16 00 |       |
| 2 to 3 ft. ....   | 35   | 3 00 | 27 50 |       |
| <i>Stuartia pentagyna</i> . Alleghany <i>Stuartia</i> . |      |      |       |       |
| 3 to 6 in. ....   | 25   | 2 00 | 16 00 |       |
| <i>Styrax japonica</i> . 8 to 12 in..                   | 25   | 2 00 | 15 00 |       |
| <i>Symphoricarpus occidentalis</i> .                    |      |      |       |       |
| 1 to 1½ ft. ....  | 40   |      |       |       |
| <i>pauciflora</i> . 1 to 1½ ft.....                     | 40   | 3 50 |       |       |
| <i>racemosus</i> . Snowberry.                           |      |      |       |       |
| 1 to 2 ft. ....   | 35   | 3 00 | 20 00 |       |

## Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND SHRUBS (continued)

### LILACS ON THEIR OWN ROOTS

Fine collection of some of the best and newest hybrids in specimen stock. It is only recently that Lilacs on their own Roots were obtainable.

Ordinary stock is grafted on Privet, which "suckers" badly, often crowding out and killing the grafted top and leaving a Privet instead of a Lilac. The Lilac is the queen of spring-flowering shrubs, and the new hybrids mark an epoch in horticulture. For a tall hedge or screen there is nothing better than the Lilac, and for this purpose the old-fashioned white and purple sorts make a charming combination.

D—double varieties; S—single varieties.

|   | Each | 10    | 100 | 1,000 |
|---|------|-------|-----|-------|
| <b>Syringa Alphonse Lavelle. S. Light Lilac.</b>      |      |       |     |       |
| 3 to 4 ft. ....                                       | 75   | 6 00  |     |       |
| <b>Andre Dupont. 2 to 3 ft....</b>                    | 75   | 6 00  |     |       |
| <b>Charles X. S. Lilac. 1½ to 2 ft.</b>               | 75   | 6 00  |     |       |
| 3 to 4 ft. ....                                       | 1 00 | 8 00  |     |       |
| <b>Claude de La Reine. S Violet Blue.</b>             |      |       |     |       |
| 4 to 5 ft. ....                                       | 1 50 | 12 50 |     |       |
| <b>coerulea superba. S Blue.</b>                      |      |       |     |       |
| 3 to 4 ft. ....                                       | 75   | 6 00  |     |       |
| 4 to 5 ft. ....                                       | 1 25 | 10 00 |     |       |
| 5 to 6 ft. ....                                       | 1 75 | 15 00 |     |       |
| <b>Dame Blanche. D. White.</b>                        |      |       |     |       |
| 4 to 5 ft. ....                                       | 1 00 | 8 00  |     |       |
| <b>de Miribel. S. Purple.</b>                         |      |       |     |       |
| 3 to 4 ft. ....                                       | 1 00 |       |     |       |
| <b>Emile Lemolne. D. 3 to 4 ft.</b>                   | 75   |       |     |       |
| <b>Geant des Battailles. S. Bright Reddish Lilac.</b> |      |       |     |       |
| 3 to 4 ft. ....                                       | 75   | 6 00  |     |       |
| 4 to 5 ft. ....                                       | 1 00 | 8 00  |     |       |
| 5 to 6 ft. ....                                       | 1 50 | 12 00 |     |       |
| <b>Japonica. S. Creamy White.</b>                     |      |       |     |       |
| 4 to 5 ft.....  | 75   | 6 00  |     |       |
| 5 to 6 ft. ....                                       | 1 00 | 8 00  |     |       |
| 6 to 8 ft. ....                                       | 1 25 | 10 00 |     |       |
| <b>Josikaea. S Purple. 4 to 5 ft..</b>                | 60   | 4 50  |     |       |
| 5 to 6 ft. ....                                       | 1 00 | 8 00  |     |       |
| <b>Jeanne Morie. 3 to 4 ft....</b>                    | 1 00 | 8 00  |     |       |
| 4 to 5 ft. ....                                       | 1 25 |       |     |       |
| <b>Leon Simon. D. Bluish Lilac.</b>                   |      |       |     |       |
| 4 to 5 ft. ....                                       | 1 50 | 12 50 |     |       |
| <b>Ludwig Spaeth. S. Dark Crimson Purple.</b>         |      |       |     |       |
| 1½ to 2 ft. ....                                      | 50   | 4 00  |     |       |
| 2 to 3 ft. ....                                       | 75   | 6 00  |     |       |
| <b>Marechal de Bassompierre. D. Rose Carmine.</b>     |      |       |     |       |
| 4 to 5 ft. ....                                       | 1 00 | 8 00  |     |       |
| <b>Marie Legray. S. Pure White.</b>                   |      |       |     |       |
| 2 to 3 ft. ....                                       | 75   | 6 00  |     |       |
| 3 to 4 ft. ....                                       | 1 00 | 8 00  |     |       |
| <b>Mme. Abel Chatenay. D. White.</b>                  |      |       |     |       |
| 2 to 3 ft. ....                                       | 75   | 6 00  |     |       |
| <b>Mme. Dupont. 3 to 4 ft. ....</b>                   | 1 00 |       |     |       |
| 4 to 5 ft. ....                                       | 1 50 | 12 50 |     |       |
| <b>Mme. Lemolne. D. White.</b>                        |      |       |     |       |
| 2 to 3 ft. ....                                       | 75   | 6 00  |     |       |
| <b>Mons La Page. Semi-Double Blue.</b>                |      |       |     |       |
| 4 to 5 ft. ....                                       | 1 50 | 12 50 |     |       |
| <b>negro. S. Deep Violet Purple.</b>                  |      |       |     |       |
| 2 to 3 ft. ....                                       | 1 00 | 8 00  |     |       |
| 3 to 4 ft. ....                                       | 1 25 | 10 00 |     |       |
| <b>persica. S. Light Purple.</b>                      |      |       |     |       |
| 3 to 4 ft. ....                                       | 1 00 |       |     |       |
| <b>President Loubet. D Bright Crimson Purple.</b>     |      |       |     |       |
| 2 to 3 ft. ....                                       | 75   |       |     |       |
| <b>Princess Alexander. S. Pure White.</b>             |      |       |     |       |
| 3 to 4 ft. ....                                       | 75   |       |     |       |
| <b>pyramidalis. D. Fine Azure Rose.</b>               |      |       |     |       |
| 2 to 3 ft. ....                                       | 75   | 6 00  |     |       |
| 4 to 5 ft. ....                                       | 1 25 | 10 00 |     |       |
| <b>Red Coral. 5 to 6 ft.....</b>                      | 1 50 |       |     |       |
| <b>Rubra de Marley. S. Purplish Red.</b>              |      |       |     |       |
| 2 to 3 ft. ....                                       | 75   | 6 00  |     |       |
| 3 to 4 ft. ....                                       | 1 00 | 8 00  |     |       |
| 4 to 5 ft. ....                                       | 1 50 |       |     |       |
| <b>saugeana. Reddish Lilac.</b>                       |      |       |     |       |
| 3 to 4 ft. ....                                       | 1 00 | 8 00  |     |       |



# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### DECIDUOUS TREES AND SHRUBS (continued)

|   | Each | 10    | 100    | 1,000  |
|---|------|-------|--------|--------|
| <i>Syringa</i> Senator Volland. D. Magenta Lilac. |      |       |        |        |
| 4 to 5 ft. ....                                   | 1 25 |       |        |        |
| <i>verschaffelti</i> . S. Dark Red.               |      |       |        |        |
| 3 to 4 ft. ....                                   | 1 00 | 8 00  |        |        |
| 4 to 5 ft. ....                                   | 1 25 | 10 00 |        |        |
| <i>villosa</i> . S. White. 3 to 4 ft.             | 75   | 6 00  |        |        |
| <i>virginite</i> . D. Soft Pink.                  |      |       |        |        |
| 3 to 4 ft. ....                                   | 75   | 6 00  |        |        |
| 4 to 5 ft. ....                                   | 1 00 | 8 00  |        |        |
| <i>Vivland-Morel</i> . D. Light Blue Purple.      |      |       |        |        |
| 2 to 3 ft. ....                                   | 75   | 6 00  |        |        |
| <i>Volcan</i> . S. Dark Ruby.                     |      |       |        |        |
| 2 to 3 ft. ....                                   | 75   | 6 00  |        |        |
| <i>vulgaris</i> . S. Common Purple Lilac.         |      |       |        |        |
| 1 to 2 ft. ....                                   | 30   | 2 50  | 20 00  |        |
| 2 to 3 ft. ....                                   | 40   | 3 50  | 30 00  |        |
| 3 to 4 ft. ....                                   | 60   | 5 00  | 40 00  |        |
| <i>vulgaris alba</i> . S. Common White Lilac.     |      |       |        |        |
| 1 to 2 ft. clumps.....                            | 40   | 3 50  | 30 00  |        |
| <i>Ulmus americana</i> . 1½ to 2 ft..             | 15   | 1 25  | 10 00  | 80 00  |
| 3 to 4 ft. ....                                   | 30   | 2 00  | 15 00  | 120 00 |
| 5 to 6 ft. ....                                   | 40   | 3 00  | 20 00  | 180 00 |
| 7 to 8 ft. ....                                   | 60   | 5 00  | 40 00  | 275 00 |
| 8 to 10 ft. ....                                  | 1 00 | 8 00  | 60 00  |        |
| 10 to 12 ft. ....                                 | 1 50 | 14 00 | 125 00 |        |
| 14 to 16 ft. ....                                 | 2 50 |       |        |        |
| <i>campestris</i> . 8 to 10 ft.....               | 2 00 | 18 00 |        |        |
| <i>montana</i> . 6 to 8 ft. ....                  | 1 00 | 9 00  |        |        |
| <i>racemosa</i> . 1½ to 2 ft.....                 | 30   | 2 50  | 20 00  |        |
| 3 to 4 ft. ....                                   | 40   | 3 50  |        |        |
| <i>Vaccinium corymbosum</i> .                     |      |       |        |        |
| 1 to 1½ ft. ....                                  | 40   | 3 50  | 30 00  |        |
| 1½ to 2 ft. ....                                  | 60   | 5 00  | 40 00  |        |
| 2 to 3 ft. ....                                   | 1 00 | 8 00  | 70 00  |        |
| 3 to 4 ft. ....                                   | 2 00 | 18 00 | 175 00 |        |
| 4 to 5 ft. ....                                   | 3 50 | 30 00 |        |        |
| 5 to 6 ft. ....                                   | 4 50 | 40 00 |        |        |
| <i>erythrocarpon</i> . 1 to 1½ ft..               | 50   | 4 00  |        |        |
| <i>pallidum</i> . 1½ to 2 ft.....                 | 40   | 3 00  | 25 00  |        |
| 2 to 3 ft. ....                                   | 60   | 5 00  | 45 00  |        |
| <i>stamineum</i> . 1 to 2 ft. ....                | 40   | 3 00  |        |        |
| <i>Viburnum acerifolium</i> . 1 to 2 ft.          | 35   | 3 00  |        |        |
| <i>alnifolium</i> . 1 to 2 ft.....                | 50   | 4 00  | 35 00  |        |
| <i>cassinoides</i> . 1 to 1½ ft....               | 30   | 2 00  | 15 00  |        |
| 1½ to 2 ft. ....                                  | 40   | 3 00  | 27 50  |        |
| 2 to 3 ft. ....                                   | 50   | 4 00  | 35 00  |        |
| 3 to 4 ft. ....                                   | 75   | 6 00  | 50 00  |        |
| <i>dentatum</i> . 2 to 3 ft.....                  | 40   | 3 00  | 20 00  |        |
| 3 to 4 ft. ....                                   | 75   | 6 00  | 50 00  | 300 00 |
| 4 to 5 ft. ....                                   | 1 25 | 12 00 |        |        |
| <i>lantana</i> . 2 to 3 ft.....                   | 60   | 5 00  |        |        |
| 3 to 4 ft. ....                                   | 75   | 6 00  |        |        |
| <i>lentago</i> . 6 to 10 in. tr.....              | 20   | 1 50  | 12 00  |        |
| <i>molle</i> . 1 to 2 ft. ....                    | 50   | 4 00  |        |        |
| 2 to 3 ft. ....                                   | 75   | 6 00  |        |        |
| <i>nudum</i> . 1½ to 2 ft. ....                   | 40   | 3 00  |        |        |
| <i>opulus (oxycoccus)</i> . 1 to 2 ft.            | 30   | 2 00  |        |        |
| 2 to 3 ft. ....                                   | 50   | 4 00  | 30 00  |        |
| 3 to 4 ft. ....                                   | 60   | 5 00  |        |        |
| <i>opulus nanum</i> . 4 to 6 in.....              | 40   | 3 00  | 27 50  |        |
| 6 to 12 in clumps ....                            | 75   | 6 00  | 50 00  |        |
| <i>plicatum</i> . 6 to 12 in. ....                | 30   | 2 00  |        |        |
| 1 to 1½ ft. ....                                  | 40   | 3 00  |        |        |
| <i>prunifolium</i> . 1 to 1½ ft....               | 35   | 3 00  |        |        |
| <i>tomentosum</i> . 1 to 2 ft....                 | 40   | 3 50  |        |        |
| 2 to 3 ft. ....                                   | 75   | 6 00  |        |        |
| 4 to 5 ft. ....                                   | 1 00 | 8 00  |        |        |
| <i>Xanthorrhiza apifolia</i> . 6 to 12 in.        | 30   | 2 50  | 20 00  |        |
| 1½ to 2 ft. ....                                  | 60   | 5 00  | 40 00  | 300 00 |
| <i>Xollisma ligustrina</i> . 1½ ft.....           | 30   | 2 00  | 18 00  |        |

### Catalog of BOXFORD NURSERY

## VINES AND CLIMBING PLANTS

|   | Each | 10   | 100   | 1,000  |
|---|------|------|-------|--------|
| <i>Actinidia arguta</i> . Silver Vine.                                |      |      |       |        |
| 1 to 1½ ft. ....  | 50   | 4 00 |       |        |
| <i>polygama</i> . 1½ to 2 ft.....                                     | 50   | 4 00 |       |        |
| 6 to 7 ft. ....   | 1 00 | 9 00 |       |        |
| <i>Akebia quinata</i> . strong.....                                   | 50   | 4 00 |       |        |
| <i>Ampelopsis quinquefolia engelmanni</i> . Scarlet Virginia Creeper. |      |      |       |        |
| Strong, .....   | 40   | 3 50 | 30 00 |        |
| <i>quinquefolia (virginica)</i> . Virginia Creeper.                   |      |      |       |        |
| 2 to 3 ft., heavy.....  | 50   | 4 00 |       |        |
| <i>quinquefolia vitacea</i> . 2 to 3 ft.                              | 75   |      |       |        |
| <i>veitchi</i> . Boston Ivy. Strong.                                  | 50   | 4 00 | 35 00 |        |
| <i>Aristolochia siphocampylis</i> . Dutchman's Pipe.                  |      |      |       |        |
| 1½ to 2 ft. ....  | 30   | 2 50 |       |        |
| 2 to 3 ft. ....   | 50   | 4 00 | 30 00 |        |
| 3 to 4 ft. ....   | 75   | 6 00 |       |        |
| 5 to 6 ft. ....   | 1 00 | 8 00 |       |        |
| <i>Celastrus punctatus</i> . 3 yr....                                 | 30   | 2 50 | 20 00 |        |
| 3 to 4 ft., heavy.....  | 40   | 3 50 | 30 00 |        |
| <i>scandens</i> . Bittersweet. 2 ft.                                  | 25   | 2 00 |       |        |
| <i>Clematis ligusticifolia</i> . 1 yr. S...                           | 10   | 70   | 5 00  |        |
| <i>paniculata</i> , strong .....                                      | 25   | 2 00 | 15 00 |        |
| heavy, .....  | 40   | 3 50 | 30 00 |        |
| <i>senatifolia</i> . 1 yr. S.....                                     | 15   | 1 25 | 10 00 |        |
| <i>tangutica</i> . 1 yr. S.....                                       | 15   | 1 25 | 10 00 |        |
| <i>virginiana</i> . 1 yr. S.....                                      | 10   | 70   | 4 00  | 30 00  |
| heavy .....   | 40   | 3 50 |       |        |
| <i>Enonymus kewensis</i> . 1 to 1½ ft.                                | 1 00 | 8 00 |       |        |
| <i>radicans</i> , broad-leaved, Climbing Euonymus .....               | 40   | 3 50 | 30 00 |        |
| <i>vegetus</i> . 1 to 1½ ft.....                                      | 50   | 4 50 |       |        |
| <i>Lonicera belgica</i> . ....  | 40   | 3 50 |       |        |
| <i>japonica halleana</i> . Hall's Honeysuckle.                        |      |      |       |        |
| Strong .....  | 30   | 2 50 | 20 00 | 160 00 |
| <i>sempervirens</i> . Coral Honeysuckle.                              |      |      |       |        |
| 1½ to 2 ft. ....  | 30   | 2 50 |       |        |
| 2 to 3 ft. ....   | 40   | 3 00 |       |        |
| 3 to 4 ft. ....   | 60   | 5 00 |       |        |
| <i>Lycium chinense</i> . 2 to 3 ft....                                | 30   | 2 50 | 20 00 |        |
| <i>Rosa</i> , Crimson Rambler.  |      |      |       |        |
| 1½ to 2 ft. ....  | 25   | 1 75 | 15 00 |        |
| Dorothy Perkins. 1½ to 2 ft.  | 25   | 1 75 | 15 00 |        |
| Farquhar. 2 to 3 ft. ....   | 25   | 1 75 | 15 00 |        |
| Lady Gay. 1½ to 2 ft.....   | 25   | 1 75 | 15 00 |        |
| <i>setigera</i> . Prairie Rose.                                       |      |      |       |        |
| 3 to 4 ft. ....   | 50   | 4 00 | 35 00 |        |
| Wm. C. Egan. 1 to 2 ft....  | 25   | 1 75 |       |        |
| <i>Rubus laciniatus</i> . 1 to 2 ft. ..                               | 40   | 3 50 |       |        |
| <i>Tecoma capreolata (crucigera)</i> .                                |      |      |       |        |
| Cross Vine. ....  | 30   | 2 00 |       |        |
| <i>grandiflora</i> . Trumpet Vine..                                   | 75   | 6 00 |       |        |
| <i>radicans</i> . ....  | 20   | 1 50 | 12 00 |        |
| <i>Vitis aconitifolia dissecta</i> .                                  |      |      |       |        |
| 1 to 1½ ft. ....  | 30   | 2 50 | 20 00 |        |
| 3 to 6 in. ....   | 20   | 1 50 | 12 00 |        |
| <i>brevipendunculata</i> . 1 to 1½ ft.                                | 20   | 1 50 | 12 00 |        |
| <i>concord</i> . 3 yr. strong.....                                    | 50   | 4 00 |       |        |
| <i>cordata</i> . 6 to 12 in.....                                      | 25   | 2 00 |       |        |
| <i>cordiformis</i> . 1½ to 2 ft. ....                                 | 20   | 1 50 |       |        |
| <i>discolor</i> . 2 to 3 ft. ....                                     | 40   | 3 00 |       |        |
| <i>heterophylla</i> . 1½ to 2 ft....                                  | 25   | 2 00 |       |        |
| 2 to 3 ft. ....   | 75   | 6 00 |       |        |
| 3 to 4 ft. ....   | 1 00 | 8 00 |       |        |
| <i>heterophylla tricolor</i> . 6 to 9 in.                             | 25   | 2 00 |       |        |
| Large Black Grape.  |      |      |       |        |
| 1 to 1½ ft. ....  | 20   | 1 50 | 10 00 |        |
| <i>vulpina</i> . 1 to 1½ ft.....                                      | 20   | 1 50 | 10 00 |        |
| <i>Wistaria brachybotrys</i> . 5 ft....                               | 1 50 |      |       |        |
| <i>chinensis alba</i> . 1½ to 2 ft. ...                               | 60   | 5 00 |       |        |
| <i>magnifica</i> . 3 to 4 ft. ....                                    | 1 00 | 8 00 |       |        |
| <i>multijuga</i> . 1½ to 2 ft. ....                                   | 1 00 | 8 00 |       |        |

## Hardy Herbaceous Perennials

|   | Each   | 10     | 100     | 1,000 |
|---|--------|--------|---------|-------|
| <i>Actaea rubra</i> . Red Baneberry...          | \$0 30 | \$2 00 | \$15 00 |       |
| <i>Amsonia amsonia</i> .....                    | 20     | 1 75   | 12 00   |       |
| <i>Anemone japonica</i> , Queen Charlotte ..... | 25     | 2 00   | 15 00   |       |
| Whirlwind .....                                 | 25     | 2 00   | 15 00   |       |
| <i>Aralia racemosa</i> .....                    | 20     | 1 75   | 12 00   |       |
| <i>Armeria robusta</i> .....                    | 20     | 1 75   | 12 00   |       |
| <i>Aruncus aruncus</i> .....                    | 20     | 1 25   | 10 00   |       |

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### HARDY HERBACEOUS PERENNIALS (continued)

|  | Each | 10    | 100   | 1,000 |
|--|------|-------|-------|-------|
| Asarum arifolium .....   | 35   | 3 00  |       |       |
| Asters, In variety .....   |      | 1 25  | 10 00 |       |
| spectabilis nenco .....  | 40   | 3 00  |       |       |
| Baptisia tinctoria. Yellow Indi-<br>go. Heavy clumps...  | 30   | 2 50  | 15 00 |       |
| Bicuculla (Dicentra) eximia.<br>Wild Bleeding Heart  | 20   | 1 50  | 12 00 |       |
| spectabilis. Bleeding Heart..  | 35   | 3 00  |       |       |
| Caltha palustris. Marsh Marigold   |      | 1 25  | 10 00 |       |
| Carex fraseri. Evergreen Sedge   | 20   | 1 75  | 15 00 |       |
| Cassia marylandica.....  | 20   | 1 50  | 12 00 |       |
| Chamaelirium luteum .....  | 20   | 1 25  | 10 00 |       |
| Chelone glabra. Turtle-Head..  | 20   | 1 50  | 12 00 |       |
| lyoni .....  | 20   | 1 50  | 12 00 |       |
| Chrysanthemums, Hardy .....  | 25   | 2 00  | 15 00 |       |
| Cimicifuga americana .....   | 20   | 1 50  | 12 00 |       |
| racemosa. Black Snakeroot..  | 20   | 1 50  | 12 00 |       |
| Convallaria majalis. Lily-of-the<br>Valley .....   | 15   | 1 00  | 8 00  |       |
| Coreopsis verticillata. ....   | 15   | 1 00  | 8 00  |       |
| Cornus canadensis. "Collected"<br>clumps .....   | 20   | 1 25  | 10 00 |       |
| Cypripedium acaule. Mocassin<br>Flower .....   | 15   | 1 25  | 10 00 |       |
| reginae. Showy Lady's Slipper.   |      |       |       |       |
| 1 to 2 crowns .....  | 30   | 2 50  | 20 00 |       |
| 3 to 4 crowns .....  | 75   | 6 00  | 50 00 |       |
| 5 to 6 crowns .....  | 1 25 | 10 00 | 80 00 |       |
| 7 to 8 crowns .....  | 1 75 | 15 00 |       |       |
| Dicentra spectabilis .....   | 20   | 1 50  | 12 00 |       |
| Dodecatheon. Shooting Star; American Cowslip. Among<br>the most charming early wild flowers. The species of-<br>fered are easily grown in borders where they are sub-<br>ject to drought after blooming.   |      |       |       |       |
|  | 10   | 100   |       |       |
| clevelandi. Tall-growing form,<br>with pure white or<br>delicate pink flowers. \$1 00 \$4 00   |      |       |       |       |
| hendersoni. Another of the<br>best species with red<br>flowers .....   | 1 00 | 4 00  |       |       |
| patulum. White, pale cream-<br>color or rarely pinkish   | 1 00 | 4 00  |       |       |
| radicatum. Flowers deep rose<br>color .....  | 1 50 | 8 00  |       |       |
| Drosera rotundifolia. ....   | 1 00 | 8 00  |       |       |
| Erythronium (Dog's Tooth Violet). These small, bulbous<br>plants are extremely handsome in foliage and flowers,<br>but to get best results should be massed in cool, moist<br>woodlands or borders or along streams. Among the<br>earliest spring flowers and, with their mottled leaves,<br>make a fine, early ground-cover in shady locations. |      |       |       |       |
| albidum. Leaves not mottled. Each  | 10   | 100   | 1,000 |       |
| Flowers white, yellow<br>at base .....   |      | 1 50  | 12 00 |       |
| americanum. Bright yellow.<br>Leaves mottled white.<br>Common throughout<br>eastern states .....   |      | 50    | 2 00  | 16 00 |
| californicum. Cream-colored;<br>often 4 to 5 on a<br>stem, mottled leaves  |      | 50    | 2 00  | 16 00 |
| citrinum. Light yellow, or-<br>ange at center, tips<br>becoming pink .....   |      | 1 00  | 4 00  | 35 00 |
| giganteum .....  |      | 1 00  | 4 00  | 35 00 |
| grandiflorum. Bright yellow,<br>with unmottled leaves  |      | 1 00  | 4 00  | 35 00 |
| hartwegi. Yellow, each flower<br>on a separate stalk   |      | 50    | 2 50  | 16 00 |
| hendersoni. Flowers light pur-<br>ple with dark centers  |      | 1 00  | 4 00  | 35 00 |
| purpurascens. Small, spread-<br>ing flowers crowded<br>in a raceme; light<br>yellow, becoming pur-<br>plish. Smallest spe-<br>cies. ....   |      | 1 00  | 4 00  | 35 00 |
| revolutum. Pink, becoming<br>purple .....  |      | 1 00  | 4 00  | 35 00 |
| Eulalia gracillima .....   | 25   | 2 00  | 15 00 |       |
| Eupatorium ageratoides. White<br>Snakeroot .....   | 15   | 1 25  | 10 00 |       |
| purpureum. Trumpet Weed..  | 20   | 1 75  | 15 00 |       |
| Festuca glauca. ....   | 20   | 1 50  | 12 00 |       |
| Galax aphylla. Galax, or Colts-<br>foot .....  | 35   | 2 25  | 18 00 |       |

# KELSEY'S Hardy American Plants Rhododendrons and Azaleas

## Catalog of BOXFORD NURSERY

### HARDY HERBACEOUS PERENNIALS (continued)

|  | Each  | 10    | 100   | 1,000  |
|--|-------|-------|-------|--------|
| Habenaria ciliaris. Yellow Orchis              | 15    | 1 00  | 8 00  |        |
| Helenium autumnale                             | 15    | 1 00  | 8 00  |        |
| Helonias bullata. Swamp Pink.                  | 20    | 1 25  | 10 00 |        |
| Hemerocallis, Gold Dust.....                   | 20    | 1 50  |       |        |
| middendorflana                                 | 20    | 1 50  |       |        |
| Orangeman                                      | 20    | 1 50  |       |        |
| sieboldi                                       | 20    | 1 50  | 12 00 |        |
| thunbergi                                      | 20    | 1 50  |       |        |
| Heuchera americana                             | 15    | 1 00  | 8 00  |        |
| sanguinea. Coral Bells                         | 20    | 1 25  | 10 00 |        |
| Heracleum japonicum                            | 75    | 6 00  |       |        |
| Hibiscus. Mallow Marvels. As-<br>sorted colors | 50    | 4 00  |       |        |
| Hibiscus, Crimson Eye                          | 20    | 1 25  | 10 00 |        |
| Hydrastis canadensis. Golden<br>Seal           | 15    | 1 00  | 8 00  |        |
| Iris cristata                                  | 20    | 1 50  | 12 00 |        |
| germanica. Mixed varieties..                   | 20    | 1 50  | 12 00 |        |
| kaempferi                                      | 20    | 1 50  | 12 00 |        |
| pseudacorus                                    | 20    | 1 50  | 12 00 |        |
| pumila   | 20    | 1 50  |       |        |
| sibirica, Snow Queen                           | 20    | 1 50  | 12 00 |        |
| verna  | 20    | 1 50  | 12 00 |        |
| versicolor. Blue Flag.....                     | 15    | 1 00  | 8 00  |        |
| Laciniaria pumila. Button Snake-<br>root       | 20    | 1 50  | 12 00 |        |
| pycnostachya                                   | 20    | 1 50  | 12 00 |        |
| splcata  | 15    | 1 25  | 10 00 |        |
| Lilium auratum. Gold-banded Lily.              |       |       |       |        |
| 8 to 9 in.                                     |       | 1 50  | 12 00 |        |
| 9 to 11 in.                                    |       | 2 00  | 18 00 |        |
| bolanderi                                      |       | 5 00  | 40 00 |        |
| canadense. Wild Yellow Lily.                   |       |       |       |        |
| 2d size  |       | 60    | 5 00  | 36 00  |
| 1st size                                       |       | 1 00  | 7 00  | 60 00  |
| canadense rubrum. 1st size..                   |       | 2 00  | 18 00 |        |
| candidum. Madona Lily.....                     |       | 1 25  | 10 00 | 80 00  |
| carolinianum. Carolina Lily.                   |       |       |       |        |
| 2d size  |       | 1 00  | 7 00  | 60 00  |
| 1st size                                       |       | 1 25  | 10 00 |        |
| columbianum. 2nd size.....                     |       | 2 00  | 16 00 |        |
| 1st size                                       |       | 3 50  | 25 00 |        |
| grayi. 2nd size                                |       | 1 00  | 6 00  | 50 00  |
| 1st size                                       |       | 1 25  | 10 00 | 80 00  |
| hansonii (maculatum)                           |       | 7 00  | 60 00 |        |
| henryi   | 10 00 | 80 00 |       |        |
| humboldti. 7 to 8 in.....                      |       | 3 00  | 20 00 | 160 00 |
| 8 to 9 in.                                     |       | 3 50  | 25 00 | 180 00 |
| 9 to 11 in                                     |       | 6 50  | 45 00 |        |
| humboldti bloomerianum                         |       | 3 50  | 25 00 |        |
| kellogi  |       | 6 50  | 45 00 |        |
| maritimum                                      |       | 6 50  | 45 00 |        |
| pardallnum. Single.....                        |       | 1 50  | 12 00 |        |
| Heavy  |       | 2 00  | 16 00 |        |
| parryi. Medium                                 |       | 6 50  | 45 00 |        |
| Large  |       | 8 00  | 70 00 |        |
| parviflorum                                    |       | 2 00  | 16 00 |        |
| parvum. Medium                                 |       | 3 50  | 25 00 |        |
| Large  |       | 6 50  | 45 00 |        |
| philadelphicum                                 |       | 75    | 6 00  | 50 00  |
| roezli   |       | 3 50  | 25 00 |        |
| rubescens                                      |       | 6 50  | 45 00 |        |
| speciosum album. 8 to 9 in..                   |       | 2 00  | 18 00 | 160 00 |
| 9 to 11 in.                                    |       | 3 50  | 25 00 | 220 00 |
| speciosum melpomene.                           |       |       |       |        |
| 8 to 9 in                                      |       | 1 50  | 12 00 | 100 00 |
| 9 to 11 in.                                    |       | 2 00  | 16 00 | 140 00 |
| speciosum rubrum. 8 to 9 in..                  |       | 1 50  | 12 00 | 100 00 |
| 9 to 11 in.                                    |       | 2 00  | 16 00 | 140 00 |
| superbum. Turk's-Cap Lily.                     |       |       |       |        |
| 3d size  |       | 40    | 2 00  | 18 00  |
| 2d size  |       | 75    | 5 00  | 30 00  |
| 1st size                                       |       | 1 00  | 8 00  | 60 00  |
| tenuifolium. Siberian Coral<br>Lily            |       | 1 50  | 12 00 | 100 00 |
| tigrinum. Tiger Lily.....                      |       | 1 00  | 8 00  | 60 00  |
| tigrinum fl. pl. Double form.                  |       | 1 00  | 8 00  | 60 00  |
| wallacel. Dwarf species.....                   |       | 1 50  | 12 00 |        |
| washingtonianum. 7 to 8 in..                   |       | 2 50  | 20 00 |        |
| 8 to 9 in                                      |       | 4 00  | 30 00 |        |
| 9 to 12 in.                                    |       | 5 00  | 40 00 |        |
| Limodorum (Calopogon) pulchel-<br>lus          | 20    | 1 50  | 12 00 |        |
| Lycopodium, in variety                         | 15    | 1 00  | 8 00  |        |
| Lysimachia nummularia                          | 15    | 1 00  | 8 00  |        |
| Lythrum salicaria roseum                       | 20    | 1 50  | 12 00 |        |
| Opuntia vulgaris                               | 35    | 3 00  |       |        |

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of BOXFORD NURSERY

### HARDY HERBACEOUS PERENNIALS (continued)

|  |    |      |       |       |
|--|----|------|-------|-------|
| Paeonies, In variety. Strong clumps .....                      | 75 | 6 00 | 50 00 |       |
| Strong plants, with 2 or 3 eyes .....                          | 25 | 1 75 | 15 00 |       |
| Panax quinquefolium. 3d size..                                 |    | 60   | 5 00  | 35 00 |
| 2d size .....  |    | 85   | 7 50  | 65 00 |
| 1st size .....   |    | 1 25 | 10 00 | 90 00 |
| Papaver nudicaule .....  | 20 | 1 50 |       |       |
| Petasites fragrans .....                                       | 20 | 1 50 | 12 00 |       |
| Phlox decussata, in variety.....                               | 30 | 2 00 | 18 00 |       |
| subulata. Moss Pink .....                                      | 15 | 1 00 | 8 00  |       |
| subulata alba. White Phlox .....                               | 15 | 1 00 | 8 00  |       |
| Polygonatum commutatum. Solomon's Seal .....                   | 20 | 1 50 | 12 00 |       |
| Pontederia cordata. Pickerel Weed .....                        | 15 | 1 00 | 8 00  |       |
| Porteranthus (Gillenia) stipulacea .....                       | 15 | 1 00 | 8 00  |       |
| Ranunculus repens .....  | 20 | 1 50 |       |       |
| Rudbeckia newmani .....  | 20 | 1 50 | 12 00 |       |
| Sanguinaria canadensis. Bloodroot .....                        | 15 | 75   | 6 00  | 36 00 |
| Sanguinaria is shipped entirely at consignee's risk.           |    |      |       |       |
| Sanguisorba canadensis. ....                                   | 20 | 1 25 | 10 00 |       |
| Sarracenia drummondii. ....                                    | 25 | 1 75 | 15 00 |       |
| catesbaei .....  | 25 | 1 75 | 15 00 |       |
| flava .....  | 25 | 1 75 | 15 00 |       |
| psittacina .....   | 25 | 1 75 | 15 00 |       |
| purpurea. Northern Pitcher Plant .....                         | 20 | 1 25 | 10 00 |       |
| rubra .....  | 25 | 1 75 | 15 00 |       |
| variolaris (minor) .....                                       | 25 | 1 75 | 15 00 |       |
| Sedum (Stonecrop), in variety..                                | 15 | 1 00 | 8 00  |       |
| lydium .....   | 20 | 1 50 | 12 00 |       |
| spectabile .....   | 20 | 1 50 | 12 00 |       |
| telephium hybridum .....                                       | 20 | 1 50 | 12 50 |       |
| Sempervivum acuminatum. Single                                 | 20 | 1 25 | 10 00 |       |
| arachnoideum. Single .....                                     | 20 | 1 25 | 10 00 |       |
| arenarium. Single .....  | 20 | 1 25 | 10 00 |       |
| cornutum. Single .....   | 20 | 1 25 | 10 00 |       |
| fimbriatum. Single .....                                       | 20 | 1 25 | 10 00 |       |
| mittenianum nanum. Single                                      | 20 | 1 25 | 10 00 |       |
| soboliferum (globiferum). Single .....                         | 20 | 1 25 | 10 00 |       |
| tectorum. Single.....  | 20 | 1 25 | 10 00 |       |
| violaceum. Single .....  | 20 | 1 25 | 10 00 |       |
| Shortia galacifolia. 2d size....                               | 40 | 3 00 | 25 00 |       |
| 1st size .....   | 75 | 6 00 | 50 00 |       |
| Solidago, in variety .....                                     | 15 | 1 25 | 10 00 | 90 00 |
| Spigelia marilandica .....                                     | 50 | 4 00 | 30 00 |       |
| Stenanthium robustum. Mountain Feather Fleece. 2nd. size ..... | 20 | 1 50 | 12 00 |       |
| 1st size .....   | 40 | 3 00 | 26 00 |       |
| Stokesia cyanea .....  | 15 | 1 00 | 8 00  |       |
| Thermopsis caroliniana .....                                   | 25 | 1 75 |       |       |
| Trillium cernuum .....   | 15 | 1 00 | 8 00  |       |
| erectum. Erect Wake-Robin. 2nd size .....                      | 10 | 40   | 3 00  | 18 00 |
| 1st size .....   | 15 | 75   | 5 00  |       |
| erectum album .....  | 15 | 1 00 | 8 00  |       |
| grandiflorum. 2nd size .....                                   | 10 | 30   | 1 50  | 12 00 |
| 1st size .....   | 15 | 60   | 3 50  | 20 00 |
| nivale .....   | 20 | 1 00 | 8 00  |       |
| ovatum .....   | 15 | 75   | 5 00  | 30 00 |
| recurvatum .....   | 15 | 75   | 6 00  | 50 00 |
| sessile. Snow Queen. ....                                      | 15 | 75   | 6 00  | 50 00 |
| sessile californicum .....                                     | 15 | 75   | 6 00  | 50 00 |
| sessile rubrum .....   | 15 | 75   | 6 00  | 50 00 |
| stylosum. Nodding Trillium 2nd size .....                      | 10 | 60   | 4 00  | 30 00 |
| 1st size .....   | 15 | 75   | 6 00  | 50 00 |
| undulatum (erythrocarpum). Painted Wake-Robin. 2nd size .....  | 10 | 60   | 4 00  | 30 00 |
| 1st size .....   | 15 | 75   | 6 00  | 40 00 |
| Thalictrum cornuti .....                                       | 15 | 1 00 | 8 00  |       |
| Typha latifolia. Cat-tail.....                                 | 15 | 1 00 | 8 00  |       |
| Veronica rupestris .....                                       | 20 | 1 25 | 10 00 |       |
| Viola cornuta .....  | 15 | 1 00 | 8 00  | 60 00 |
| pedata .....   | 15 | 1 00 | 8 00  |       |
| pedata bicolor .....   | 25 | 1 75 | 14 00 |       |
| Yucca flaccida. Clumps .....                                   | 50 | 4 00 |       |       |
| glauca. Adam's Needle. Green                                   | 30 | 2 50 |       |       |

SEND FOR  
"HOW TO GROW RHODODENDRONS  
SUCCESSFULLY"

### Hardy Native Ferns

Sizes following Ferns indicate the size the plant may be expected to attain under cultivation.

|  | Each | 10     | 100    | 1,000   |
|--|------|--------|--------|---------|
| <i>Adiantum pendatum</i> . Maiden-hair Fern. 8 to 20 in...                                   |      | \$1 00 | \$8 50 | \$75 00 |
| <i>Aspidium (Dryopteris) acrostichoides</i> . Dagger Fern. 8 to 20 in. ....                  |      | 75     | 6 00   | 50 00   |
| <i>brauni</i> . 16 to 36 in.....   |      | 1 50   | 12 50  |         |
| <i>cristatum</i> . 1 to 2 ft. ....   |      | 75     | 6 00   |         |
| <i>cristatum clintonianum</i> . 16 to 52 in.....   |      | 1 00   | 8 50   |         |
| <i>filix-mas</i> . 12 to 44 in. ....   |      | 1 50   | 12 50  |         |
| <i>goldianum</i> . Goldie's Fern. 24 to 40 in. ....  |      | 1 50   | 12 50  |         |
| <i>marginalls</i> . Shield Fern. 12 to 28 in.....  |      | 75     | 6 00   | 50 00   |
| <i>munitum</i> . Chamisso's Shield Fern. ....  |      | 2 00   | 17 50  |         |
| <i>noveboracensis</i> . New York Fern. ....  |      | 75     | 6 00   |         |
| <i>spinulosa</i> . Spinulose Shield Fern. ....   |      | 1 00   | 8 00   |         |
| <i>spinulosa dilatatum</i> . Broad fronds. ....  |      | 1 50   | 12 50  |         |
| <i>thelypteris</i> . Marsh Shield Fern. ....   |      | 1 00   | 8 00   |         |
| <i>Asplenium angustifolium</i> . 3 to 4 in. ....   |      | 1 25   | 10 00  |         |
| <i>ebeneum</i> . 9 to 18 in.....   |      | 1 00   | 8 00   |         |
| <i>filix-foemina</i> . Lady Fern. 16 to 40 in. ....  |      | 1 00   | 8 00   |         |
| <i>thelypteroides</i> . Silvery Spleenwort. 2 to 3 ft.....                                   |      | 1 00   | 8 00   |         |
| <i>trichomanes</i> . Maiden hair Spleenwort. 3 to 8 in.                                      |      | 1 00   | 8 00   |         |
| <i>Botrychium ternatum dissectum</i>   |      | 1 00   | 8 00   |         |
| <i>obliquum</i> . 4 to 16 in. ....   |      | 1 00   | 8 00   |         |
| <i>virginianum</i> . Virginia Grape Fern. 1 to 2 ft. ....                                    |      | 1 00   | 8 00   |         |
| <i>Camptosorus rhizophyllus</i> . Walking Fern 4 to 12 in.....                               |      | 1 25   | 10 00  |         |
| <i>Cheilanthes fendleri</i> . Lip Fern..   |      | 4 00   |        |         |
| <i>Cystopteris bulbifera</i> . Bladder Fern. 1 to 2 ft.....                                  |      | 75     | 6 00   |         |
| <i>fragilis</i> . Brittle Fern. 4 to 12 in. ....   |      | 1 00   | 8 00   |         |
| <i>Dicksonia punctilobula</i> . Hay-scented Fern. 20 to 40 in. ....                          |      | 1 00   | 8 00   | 60 00   |
| <i>Lygodium palmatum</i> . Climbing Fern. 1 to 3 ft.....                                     |      | 1 50   | 12 50  |         |
| <i>Onoclea sensibilis</i> . Sensitive Fern. 4 to 12 in.....                                  |      | 1 00   | 8 00   | 60 00   |
| <i>struthiopteris</i> . 2 to 10 ft.....  |      | 1 00   | 8 00   |         |
| <i>Ophloglossum vulgatum</i> . 2 to 42 in. ....  |      | 1 00   | 8 00   |         |
| <i>Osmunda cinnamomea</i> . Cinnamon Fern. 32 to 63 in. ....                                 |      | 1 50   | 12 00  | 100 00  |
| <i>claytoniana</i> . Clayton's Fern. 2 to 4 ft.....  |      | 1 50   | 12 00  | 100 00  |
| <i>gracilis</i> . 2 to 6 in.....   |      | 1 00   | 8 00   |         |
| <i>regalis</i> . Royal Fern. 12 to 63 in. ....   |      | 1 50   | 12 00  |         |
| <i>Pellaea atropurpurea</i> . Purple-stemmed Cliff Brake 4 to 24 in. ....                    |      | 1 50   | 12 00  |         |
| <i>densa</i> .....   |      | 1 00   | 8 00   |         |
| <i>gracilis</i> . Slender Cliff Brake 2 to 6 in. ....  |      | 1 50   | 12 00  |         |
| <i>Phegopteris dryopteris</i> . Oak Fern. 6 to 10 in. ....                                   |      | 1 00   | 8 00   |         |
| <i>hexagonoptera</i> . Broad Beech Fern. 7 to 12 in.....                                     |      | 1 00   | 8 00   |         |
| <i>polypodioides</i> . 4 to 8 in.....  |      | 1 00   | 8 00   |         |
| <i>Polypodium falcatum</i> . 6 to 15 in.   |      | 1 25   | 10 00  |         |
| <i>vulgare</i> . Polypody. 3 to 6 in.  |      | 75     | 6 00   | 45 00   |
| <i>Pteris aquilina</i> . Common Brake 4 to 36 in. ....                                       |      | 75     | 5 00   | 30 00   |
| <i>Scolopendrium vulgare</i> .....   |      | 3 00   | 20 00  |         |
| <i>Woodsia ilvensis</i> . Rusty Woodsia <i>obtusa</i> . Blunt-lobed Woodsia. 8 to 20 in..... |      | 1 00   | 8 00   |         |
| <i>Woodwardia angustifolia</i> .....   |      | 1 50   | 12 50  |         |
| <i>virginica</i> . Virginia Chain Fern. 24 to 64 in. ....                                    |      | 1 00   | 8 00   |         |

# KELSEY'S HARDY SPECIMEN EVERGREENS

Catalog of HIGHLANDS NURSERY

## CATALOG OF HIGHLANDS NURSERY

### PART II

At my Highlands Nursery, Pineola, North Carolina, 3,800 ft. elevation, on the crest of the Alleghany Mountains, one may see Rhododendrons, Azaleas, Leucothoes, Kalmias and Andromedas growing in all sizes by tens of thousands in single species, and nowhere else can be found such a collection of rare American plants of unquestionable hardiness—the best for American gardens.

The Carolina Mountains is the native home of the most beautiful Broad-leaved Evergreens and Ericaceous Shrubs. Highlands Nursery not only ships direct to customers, but is a great propagating plant, supplying material for my Box-ford Nursery.

### DECIDUOUS AND EVERGREEN

## Trees, Shrubs, and Woody Vines

NOTE.—All plants are transplanted and nursery-grown, unless plainly marked otherwise.

This is a catalog of nursery-grown plants growing at my Highlands Nursery, Pineola, North Carolina.

|                                     | Each   | 10     | 100     | 1,000  |
|-------------------------------------|--------|--------|---------|--------|
| *Abies concolor, 6 to 12 in.....    | \$0 20 | \$1 25 | \$10 00 |        |
| 1 to 1½ ft. ....                    | 30     | 2 50   | 20 00   |        |
| Abies fraseri, 3 to 6 in.....       | 10     | 50     | 4 00    | 30 00  |
| 6 to 12 in. ...                     | 15     | 75     | 6 00    | 50 00  |
| 1 to 2 ft. ....                     | 35     | 2 00   | 18 00   | 150 00 |
| 2 to 3 ft. ....                     | 75     | 5 00   | 40 00   | 300 00 |
| 3 to 4 ft. ....                     | 1 50   | 12 50  | 100 00  | 600 00 |
| 4 to 5 ft. ....                     | 2 50   | 20 00  | 150 00  |        |
| Acer rubrum, 2 to 3 ft.....         | 20     | 1 50   |         |        |
| 3 to 4 ft. ....                     | 30     | 2 00   |         |        |
| saccharum, Sugar Maple,             |        |        |         |        |
| 6 to 12 in. ....                    |        | 50     | 4 00    | 25 00  |
| 1 to 2 ft. ....                     |        | 60     | 5 00    | 40 00  |
| 2 to 3 ft. ....                     |        | 75     | 6 00    | 50 00  |
| 3 to 4 ft. ....                     | 25     | 1 25   | 10 00   |        |
| 4 to 6 ft. ....                     | 40     | 3 00   | 25 00   |        |
| spicatum, 1 to 2 ft.....            | 20     | 1 00   | 8 50    |        |
| 2 to 3 ft. ....                     | 35     | 2 00   |         |        |
| 3 to 4 ft. ....                     | 50     | 3 50   |         |        |
| Adella acuminata, 1 to 2 ft.....    | 75     | 4 00   |         |        |
| Aesculus octandra, 6 to 12 in.      |        |        |         |        |
| seedlings .....                     | 10     | 50     | 4 00    |        |
| 1 to 2 ft. ....                     | 20     | 75     | 6 00    |        |
| Alnus alnobetula, 2 to 4 ft.        |        |        |         |        |
| clumps .....                        | 50     | 3 00   | 25 00   |        |
| rugosa, 2 to 3 ft. ....             | 25     | 1 50   |         |        |
| Amelanchier botryapium,             |        |        |         |        |
| 1 to 2 ft. ....                     | 15     | 75     | 6 00    |        |
| 2 to 3 ft. ....                     | 20     | 1 00   | 8 00    |        |
| 3 to 4 ft. ....                     | 25     | 1 25   | 10 00   |        |
| 4 to 6 ft. ....                     | 35     | 2 00   | 17 50   |        |
| 6 to 8 ft. ....                     | 50     | 4 00   |         |        |
| 8 to 10 ft. ....                    | 75     | 6 00   |         |        |
| 10 to 12 ft. ....                   | 1 00   | 8 00   |         |        |
| Amorpha fruticosa, 2 yr. S...       | 30     | 2 00   | 10 00   |        |
| montana, 1 to 2 ft...               | 25     | 2 00   |         |        |
| nana, 3 to 6 in. S....              | 25     | 2 00   |         |        |
| Ampelopsis quinquefolia engelmanni, |        |        |         |        |
| Light .....                         | 15     | 75     | 6 00    | 50 00  |
| Strong .....                        | 25     | 1 25   | 10 00   |        |
| *Andromeda (Pieris) floribunda,     |        |        |         |        |
| 6 to 12 in.....                     | 1 00   | 8 00   | 70 00   | 1,000  |
| 1 to 1½ ft.....                     | 1 50   | 12 50  | 100 00  |        |
| 1½ to 2 ft.....                     | 2 00   | 18 00  | 170 00  |        |
| Aralla spinosa, 1 to 2 ft.....      | 25     | 1 50   | 12 50   |        |
| Aronia arbutifolia, 6 to 12 in...   | 20     | 1 25   | 10 00   |        |
| 1 to 2 ft. ....                     | 30     | 1 75   | 15 00   |        |
| 2 to 3 ft. ....                     | 40     | 2 50   | 22 50   |        |
| 3 to 4 ft. ....                     | 75     | 4 00   | 37 50   |        |
| erythrocarpa, Dwarf Variety,        |        |        |         |        |
| 1 to 2 ft. ....                     | 35     | 2 00   |         |        |
| 2 to 3 ft. ....                     | 50     | 3 00   |         |        |
| 3 to 4 ft. ....                     | 75     | 5 00   |         |        |
| erythrocarpa, Tall Variety,         |        |        |         |        |
| 2 to 3 ft. ....                     | 50     | 4 00   |         |        |

EVERGREENS ARE MARKED WITH A STAR (\*)

# KELSEY'S Hardy American Plants

## Rhododendrons and Azaleas

### Catalog of HIGHLANDS NURSERY

#### DECIDUOUS AND EVERGREEN TREES, SHRUBS AND WOODY VINES (continued)

|  | Each | 10   | 100   | 1,000 |
|--|------|------|-------|-------|
| <i>Aronia nigra</i> . Shining black fruit. |      |      |       |       |
| 1 to 2 ft.....                             | 20   | 1 25 | 10 00 | 90 00 |
| 2 to 3 ft. ....                            | 35   | 2 00 | 17 50 |       |
| 3 to 4 ft. ....                            | 60   | 3 50 | 32 50 |       |
| 4 to 5 ft. ....                            | 75   | 5 00 |       |       |

### AZALEAS

|  |        |        |         |          |
|--|--------|--------|---------|----------|
| <b>Azalea 'arborescens.</b> Fragrant White.                      | Each   | 10     | 100     | 1,000    |
| 6 to 12 in. ....   | \$0 35 | \$2 00 | \$17 50 |          |
| 1 to 1½ ft. ....   | 60     | 2 50   | 32 50   |          |
| 1½ to 2 ft. ....   | 75     | 5 00   | 40 00   |          |
| 6 to 12 in. clumps ....  | 1 00   | 6 00   | 50 00   |          |
| 1 to 1½ ft., clumps....  | 1 25   | 8 50   | 75 00   |          |
| 1½ to 2 ft. clumps....   | 2 00   | 15 00  | 125 00  |          |
| 2 to 3 ft. clumps....  | 4 00   | 30 00  |         |          |
| <b>Azalea lutea.</b> (calendulacea). Great Flame Azalea.         |        |        |         |          |
| 6 to 12 in. ....   | 25     | 1 50   | 12 50   | 100 00   |
| 1 to 1½ ft. ....   | 40     | 2 50   | 22 50   | 200 00   |
| 1½ to 2 ft. ....   | 50     | 3 00   | 25 00   | 225 00   |
| 2 to 3 ft. ....  | 90     | 7 50   | 60 00   |          |
| 6 to 12 in. clumps ....  | 50     | 3 00   | 25 00   | 225 00   |
| 1 to 1½ ft. clumps ..  | 75     | 6 00   | 50 00   | 400 00   |
| 1½ to 2 ft. clumps....   | 1 00   | 8 50   | 75 00   |          |
| 2 to 3 ft. clumps ....   | 1 50   | 12 50  | 100 00  |          |
| 3 to 4 ft. clumps ....   | 1 75   | 15 00  | 140 00  |          |
| 4 to 5 ft. clumps....  | 2 25   | 20 00  |         |          |
| <i>nudiflora</i> . Pinxter Flower.                               |        |        |         |          |
| 6 to 12 in. ....   | \$0 25 | \$1 50 | \$12 50 | \$100 00 |
| 1 to 1½ ft. ....   | 40     | 2 50   | 22 50   |          |
| 1 to 1½ ft. clumps ...   | 75     | 4 00   | 37 50   |          |
| <b>Azalea vaseyi.</b> Southern Azalea.                           |        |        |         |          |
| 6 to 12 in. ..   | 40     | 2 50   | 22 50   |          |
| 1 to 1½ ft. ....   | 60     | 3 50   | 32 50   |          |
| 1½ to 2 ft. ....   | 75     | 5 00   |         |          |
| <i>viscosa</i> . 6 to 12 in. ....                                | 25     | 1 50   | 12 50   | 100 00   |
| 1 to 1½ ft. ....   | 35     | 2 00   | 17 50   | 150 00   |
| 1 to 1½ ft. clumps ...   | 75     | 5 00   | 40 00   | 350 00   |
| 1½ to 2 ft. clumps....   | 1 00   | 6 00   | 50 00   |          |
| 2 to 2½ ft. clumps ....  | 1 25   | 10 00  | 80 00   |          |
| <i>Benzoin benzoin</i> . 1 to 2 ft.....                          | 20     | 1 50   | 12 00   |          |
| 2 to 3 ft. ....  | 25     | 2 00   | 15 00   |          |
| <i>Betula lenta</i> . 6 to 8 ft.....                             | 50     | 3 00   |         |          |
| 8 to 10 ft. ....   | 85     | 6 00   |         |          |
| 10 to 14 ft. ....  | 1 50   | 12 00  |         |          |
| <i>Calycanthus fertilis</i> . 2 to 3 ft. clumps .....            | 25     | 2 00   | 15 00   |          |
| <i>floridus</i> . 1 to 2 ft. ....                                | 15     | 75     | 6 00    |          |
| 2 to 3 ft. ....  | 20     | 1 25   | 10 00   |          |
| 3 to 4 ft. ....  | 40     | 2 50   | 20 00   |          |
| <i>Carpinus caroliniana</i> (americana). 4 to 6 ft. ....         | 30     | 2 00   | 15 00   |          |
| 6 to 8 ft. ....  | 50     | 3 00   | 25 00   |          |
| 8 to 10 ft. ....   | 70     | 5 00   | 40 00   |          |
| 10 to 12 ft. ....  | 1 00   | 8 00   |         |          |
| <i>Castanea pumila</i> . Chinkapin. 1 to 2 ft. ....              | 30     | 2 00   | 17 50   |          |
| 2 to 3 ft. ....  | 40     | 3 00   | 25 00   |          |
| 3 to 4 ft. ....  | 60     | 4 50   | 40 00   |          |
| 4 to 5 ft. ....  | 75     | 5 00   | 45 00   |          |
| <i>Celastrus scandens</i> . 6 to 12 in... 1 to 2 ft. ....        | 20     | 1 00   | 8 50    |          |
| 2 to 3 ft. ....  | 25     | 1 50   | 12 50   |          |
| 3 to 4 ft. ....  | 35     | 2 50   |         |          |
| <i>Chamaedaphne calyculata</i> . 6 to 12 in. ....                | 25     | 1 50   | 12 50   |          |
| 1 to 1½ ft. ....   | 35     | 2 00   |         |          |
| <i>Chionanthus virginica</i> . 1 to 2 ft. 15                     | 1 00   | 8 00   |         |          |
| <i>Clethra acuminata</i> . Southern Pepper Bush. 1 to 2 ft... 20 | 1 00   | 8 50   |         |          |
| 2 to 3 ft. ....  | 25     | 1 50   | 12 50   |          |
| 4 to 6 ft. ....  | 75     | 4 00   | 35 00   |          |
| <i>alnifolia</i> . Sweet Pepper Bush. 6 to 12 in. ....           | 20     | 1 00   | 8 50    |          |
| 1 to 2 ft. ....  | 35     | 2 00   | 17 50   |          |
| 1 to 1½ ft. clumps..   | 60     | 4 00   | 37 50   |          |
| 1½ to 2 ft. clumps ...   | 75     | 5 00   | 45 00   |          |
| <i>Comptonia peregrina</i> (asplenifolia). 1 to 2 ft. ....       | 25     | 1 50   | 12 50   |          |
| "Collected" .....  | 10     | 50     | 4 00    | 30 00    |
| <i>Cornus amomum</i> (sericea). 4 to 5 ft. ....                  | 20     | 1 00   | 8 50    |          |
| <i>florida</i> . 6 to 12 in. S.....                              | 10     | 50     | 4 50    |          |
| 1 to 2 ft. S. ....   | 15     | 75     | 6 00    |          |

EVERGREENS ARE MARKED WITH A STAR (\*)



# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of HIGHLANDS NURSERY

### DECIDUOUS AND EVERGREEN TREES, SHRUBS AND WOODY VINES (continued)

|   | Each | 10   | 100   | 1,000  |
|---|------|------|-------|--------|
| <i>Corylus americana</i> . 1 to 2 ft....            | 25   | 1 50 | 12 50 |        |
| 2 to 3 ft. ....                                     | 35   | 2 50 | 20 00 |        |
| 3 to 4 ft. ....                                     | 50   | 4 00 | 30 00 |        |
| 4 to 6 ft. clumps ....                              | 85   | 7 00 | 60 00 |        |
| rostrata. 1 to 2 ft. ....                           | 20   | 1 00 | 8 00  | 70 00  |
| 2 to 3 ft. ....                                     | 35   | 2 00 | 15 00 | 125 00 |
| 3 to 4 ft. clumps ....                              | 75   | 5 00 |       |        |
| <i>Crataegus cocclea</i> . 1 to 2 ft....            | 20   | 1 50 | 12 00 |        |
| 2 to 3 ft. ....                                     | 30   | 2 00 |       |        |
| 3 to 4 ft. ....                                     | 40   | 3 00 |       |        |
| 4 to 5 ft. ....                                     | 60   | 5 00 |       |        |
| punctata. 6 to 12 in. ....                          | 15   | 75   | 6 00  | 50 00  |
| 1 to 2 ft. ....                                     | 20   | 1 00 | 8 50  |        |
| 2 to 3 ft. ....                                     | 25   | 1 50 | 12 00 |        |
| 3 to 4 ft. ....                                     | 35   | 2 00 | 17 50 |        |
| 4 to 6 ft. ....                                     | 60   | 4 00 | 37 50 |        |
| 6 to 8 ft. ....                                     | 75   | 6 00 |       |        |
| <i>Dendrium buxifolium</i> . 3 to 6 in. clumps .... | 20   | 1 00 | 8 50  |        |
| 6 to 12 in. clumps ....                             | 25   | 1 50 | 12 50 |        |
| 1 to 1½ ft. clumps....                              | 35   | 3 00 |       |        |
| <b>Dendrium prostratum.</b>                         |      |      |       |        |
| 3 to 6 in. clumps ....                              | 25   | 2 00 | 15 00 | 130 00 |
| 6 to 12 in. clumps ....                             | 40   | 3 00 | 25 00 |        |
| <i>Diervilla rivularis</i> . 1 to 2 ft....          | 25   | 1 50 | 12 00 |        |
| sessifolia. 1 to 2 ft. ....                         | 25   | 2 00 | 16 00 |        |
| 2 to 3 ft. ....                                     | 40   | 3 00 |       |        |
| <i>Euonymus americanus</i> . 2 to 3 ft.             | 25   | 2 00 |       |        |
| 3 to 4 ft. ....                                     | 40   | 3 00 |       |        |
| <i>Gaylussacia resinosa</i> . 6 to 12 in..          | 20   | 1 00 | 8 50  |        |
| 1 to 2 ft. ....                                     | 25   | 1 50 | 12 50 |        |
| ursina. 1 to 2 ft. clumps....                       | 40   | 2 50 |       |        |
| <i>Halesia tetraptera</i> (carolinum).              |      |      |       |        |
| 6 to 12 in. seedlings..                             | 15   | 60   | 5 00  | 40 00  |
| 1 to 2 ft. seedlings ...                            | 20   | 1 00 | 8 00  |        |
| 2 to 3 ft. seedlings ...                            | 25   | 1 50 | 12 00 |        |
| 1 to 2 ft. ....                                     | 25   | 1 50 | 12 00 |        |
| 2 to 3 ft. ....                                     | 40   | 2 50 | 22 00 |        |
| 3 to 4 ft. ....                                     | 50   | 4 00 |       |        |
| 4 to 5 ft. ....                                     | 65   | 5 00 |       |        |
| <i>Hydrangea arborescens</i> ..                     |      |      |       |        |
| 1 to 2 ft. clumps.....                              | 30   | 1 75 | 15 00 |        |
| 2 to 3 ft. clumps ....                              | 40   | 2 50 | 20 00 |        |
| 3 to 4 ft. clumps ....                              | 50   | 3 50 | 30 00 |        |
| * <i>Hypericum aureum</i> .                         |      |      |       |        |
| 6 to 12 in. seedlings....                           | 15   | 75   | 6 00  |        |
| 1 to 2 ft. seedlings ....                           | 24   | 1 25 |       |        |
| 2 to 3 ft. ....                                     | 30   | 2 00 |       |        |
| densiflorum. 1 to 2 ft.....                         | 15   | 75   | 6 00  | 40 00  |
| 2 to 3 ft. ....                                     | 20   | 1 00 | 8 00  |        |
| *prolificum. 6 to 12 in. seedlings                  | 15   | 75   | 5 00  | 40 00  |
| 1 to 2 ft. S. ....                                  | 30   | 2 00 | 12 00 | 90 00  |
| <i>Ilex decidua</i> . 1 to 2 ft.....                | 25   | 1 50 | 12 00 |        |
| 2 to 3 ft. ....                                     | 35   | 2 00 | 17 00 |        |
| 3 to 4 ft. ....                                     | 50   | 3 00 | 27 00 |        |
| 4 to 6 ft. ....                                     | 75   | 5 00 |       |        |
| monticola. Mountain Holly.                          |      |      |       |        |
| 6 to 12 in. ....                                    | 20   | 1 00 | 8 00  |        |
| 1 to 2 ft. ....                                     | 25   | 1 25 | 10 00 |        |
| 2 to 3 ft. ....                                     | 30   | 1 75 | 15 00 |        |
| 3 to 4 ft. ....                                     | 60   | 3 50 | 32 50 |        |
| 4 to 6 ft. ....                                     | 1 00 | 6 00 | 50 00 |        |
| *opaca. American Holly.                             |      |      |       |        |
| 6 to 12 in. ....                                    | 40   | 2 50 | 20 00 | 180 00 |
| 1 to 1½ ft. ....                                    | 50   | 3 00 | 27 50 |        |
| 1½ to 2 ft. ....                                    | 75   | 4 00 | 37 50 |        |
| 2 to 3 ft. ....                                     | 1 25 | 8 00 |       |        |
| verticillata. 6 to 12 in. S....                     | 15   | 1 00 | 7 00  |        |
| 1 to 2 ft. ....                                     | 30   | 2 00 |       |        |
| <i>Itea virginica</i> . 1 to 2 ft. clumps           | 30   | 1 75 | 15 00 |        |
| 2 to 3 ft. clumps ....                              | 40   | 3 00 |       |        |
| * <i>Juniperus virginiana</i> .                     |      |      |       |        |
| 6 to 12 in. ....                                    | 20   | 1 25 | 10 00 |        |
| 1 to 2 ft. ....                                     | 40   | 2 00 | 15 00 |        |

### KALMIAS (The Mountain Laurel)

|   |        |        |         |        |
|---|--------|--------|---------|--------|
| * <i>Kalmia angustifolia</i> . 6 to 12 in.. | \$0 20 | \$1 25 | \$10 00 |        |
| 1 to 1½ ft. ....                            | 30     | 2 00   | 15 00   |        |
| * <i>Kalmia latifolia</i> . 3 to 6 in.      | 10     | 50     | 4 00    | 30 00  |
| 6 to 9 in.                                  | 20     | 1 00   | 8 50    | 75 00  |
| 9 to 12 in. ....                            | 25     | 1 50   | 12 50   | 100 00 |
| 1 to 1½ ft. ....                            | 35     | 2 00   | 18 00   | 160 00 |

EVERGREENS ARE MARKED WITH A STAR (\*)

# KELSEY'S Hardy American Plants Rhododendrons and Azaleas

## Catalog of HIGHLANDS NURSERY

DECIDUOUS AND EVERGREEN TREES, SHRUBS AND  
WOODY VINES (continued)

### \**Kalmia latifolia*. (continued)

|                         | Each | 10    | 100    | 1,000  |
|-------------------------|------|-------|--------|--------|
| 1½ to 2 ft. ....        | 75   | 4 00  | 37 50  | 325 00 |
| 1 to 1½ ft. clumps ..   | 1 00 | 6 50  | 62 50  | 550 00 |
| 1½ to 2 ft. clumps ...  | 1 75 | 12 50 | 100 00 |        |
| 2 to 3 ft. clumps ..... | 3 00 | 25 00 |        |        |

"COLLECTED" *KALMIA LATIFOLIA*. For prices and full information see pages 31 and 32.

### \**Leucothoe catesbaei*.

|  | Each   | 10     | 100    | 1,000   |
|--|--------|--------|--------|---------|
| 6 to 12 in. ....   | \$0 20 | \$1 00 | \$8 50 | \$75 00 |
| 1 to 1½ ft. ....   | 25     | 1 50   | 12 50  | 100 00  |
| 1½ to 2 ft. ....   | 40     | 2 75   | 25 00  |         |
| 6 to 12 in. clumps....                                       | 50     | 3 00   | 27 50  | 225 00  |
| 1 to 1½ ft. clumps ...                                       | 75     | 4 00   | 37 50  | 325 00  |
| 1½ to 2 ft. clumps ...                                       | 1 00   | 6 50   | 62 50  |         |
| 2 to 3 ft. clumps .....                                      | 1 50   | 12 00  | 100 00 |         |
| <i>racemosa</i> , 1 to 2 ft. clumps..                        | 25     | 2 00   |        |         |
| 2 to 3 ft. clumps ....                                       | 40     | 3 00   |        |         |
| <i>recurva</i> , 6 to 12 in.....                             | 20     | 1 00   | 8 00   |         |
| 1 to 2 ft. ....  | 30     | 2 00   | 15 00  |         |
| <i>Lonicera dioica</i> , 3 to 4 ft.....                      | 20     | 1 50   |        |         |
| <i>japonica halliana</i> , Light....                         | 15     | 75     | 6 00   | 50 00   |
| Strong .....   | 20     | 1 00   | 8 50   | 75 00   |
| <i>sempervirens</i> , 1 to 2 ft.....                         | 20     | 1 50   |        |         |
| <i>Magnolia fraseri</i> , 2 to 3 ft.....                     | 25     | 1 50   | 12 00  |         |
| 4 to 6 ft. ....  | 75     | 4 00   |        |         |
| <i>tripetala</i> , 3 to 4 ft.....                            | 40     | 2 50   | 20 00  |         |
| <i>Malus coronaria</i> , Wild Fragrant Crab.                 |        |        |        |         |
| 6 to 12 in. seedlings..                                      | 20     | 1 00   | 8 00   |         |
| 1 to 2 ft. seedlings ..                                      | 30     | 1 50   | 12 00  | 100 00  |
| <i>Menziesia pilosa</i> ,                                    |        |        |        |         |
| 1 to 2 ft. clumps .....                                      | 35     | 2 00   | 17 50  |         |
| 2 to 3 ft. clumps .....                                      | 60     | 3 50   | 30 00  |         |
| <i>Myrica cerifera</i> , 1 to 3 in. S....                    | 10     | 60     | 5 00   |         |
| 3 to 6 in. S. ....   | 15     | 80     | 6 00   |         |
| <i>gale</i> , 6 to 12 in.....                                | 20     | 1 50   |        |         |
| <i>Nyssa multiflora</i> , 6 to 12 in.....                    | 20     | 1 00   | 8 00   |         |
| 1 to 2 ft. ....  | 40     | 2 50   | 20 00  |         |
| 2 to 3 ft. ....  | 60     | 4 00   |        |         |
| 3 to 4 ft. ....  | 75     | 5 00   |        |         |
| <i>Ostrya virginica</i> , 1 to 2 ft.                         | 20     | 1 25   | 10 00  |         |
| 2 to 3 ft. ....  | 35     | 2 00   | 17 50  |         |
| 3 to 4 ft. ....  | 50     | 3 00   |        |         |
| <i>Oxydendron arboreum</i> , 6 to 12 in.                     | 20     | 1 00   | 8 50   | 75 00   |
| 1 to 2 ft. ....  | 25     | 1 50   | 12 00  | 90 00   |
| 2 to 3 ft. ....  | 35     | 2 25   | 20 00  | 180 00  |
| 3 to 4 ft. ....  | 60     | 3 50   | 30 00  | 220 00  |
| 4 to 5 ft. ....  | 85     | 5 00   | 45 00  |         |
| 5 to 6 ft. ....  | 1 00   | 7 00   | 60 00  |         |
| * <i>Picea englemanni</i> ,                                  |        |        |        |         |
| 6 to 12 in. S.....   | 05     | 50     | 4 00   | 30 00   |
| <i>pungens</i> , 6 to 12 in. S.....                          | 05     | 50     | 4 00   | 30 00   |
| 3 to 6 in. trans. ....                                       | 10     | 75     | 6 00   | 50 00   |
| * <i>Pinus austriaca</i> , 6 to 12 in....                    | 30     | 2 50   | 20 00  |         |
| 1 to 1½ ft. ....   | 50     | 4 00   | 30 00  |         |
| * <i>banksiana (divaricata)</i> ,                            |        |        |        |         |
| 2 to 3 ft. ....  | 30     | 2 00   | 16 00  |         |
| 3 to 4 ft. ....  | 40     | 2 50   | 20 00  |         |
| 4 to 6 ft. ....  | 75     | 5 00   | 30 00  | 200 00  |
| 7 to 10 ft. ....   | 1 00   | 6 00   | 50 00  | 300 00  |
| * <i>echinata</i> , 6 to 12 in.....                          | 35     | 3 00   |        |         |
| 1 to 2 ft. ....  | 45     | 4 00   |        |         |
| * <i>flexilis</i> , 3 to 6 in. ....                          | 20     | 1 50   | 10 00  |         |
| * <i>ponderosa</i> , 3 to 6 in. ....                         | 10     | 75     | 5 00   | 40 00   |
| 6 to 12 in. ....   | 10     | 75     | 6 00   | 50 00   |
| 1 to 2 ft. ....  | 20     | 1 50   | 12 00  |         |
| * <i>pungens</i> , 6 to 8 ft. ....                           | 75     | 6 00   | 50 00  |         |
| * <i>resinosa</i> , 6 to 12 in. S.....                       | 15     | 1 00   | 7 00   | 60 00   |
| 6 to 12 in. trans.....                                       | 25     | 2 00   | 16 00  | 120 00  |
| * <i>rigida</i> , 3 to 4 ft. ....                            | 35     | 3 00   | 27 50  |         |
| 4 to 6 ft. ....  | 60     | 5 00   | 45 00  |         |
| 6 to 8 ft. ....  | 75     | 6 00   | 50 00  | 300 00  |
| <i>Prunus pumila</i> , 6 to 12 in.....                       | 15     | 1 00   |        |         |
| 1 to 2 ft. ....  | 25     | 1 50   |        |         |
| * <i>Pseudotsuga douglasii (taxifolia)</i> , Douglas Spruce. |        |        |        |         |
| 3 to 6 in. ....  | 20     | 1 00   | 8 00   | 70 00   |
| 6 to 12 in. ....   | 25     | 1 50   | 12 00  | 100 00  |
| 1 to 2 ft. ....  | 40     | 3 00   | 20 00  |         |

EVERGREENS ARE MARKED WITH A STAR (\*)

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of HIGHLANDS NURSERY

DECIDUOUS AND EVERGREEN TREES, SHRUBS AND  
WOODY VINES (continued)

### RHODODENDRONS

|   | Each   | 10     | 100     | 1,000   |
|---|--------|--------|---------|---------|
| <b>*Rhododendron carolini-</b>  |        |        |         |         |
| <b>anum.</b> 6 to 9 in. nur. grown..  | \$0 40 | \$2 50 | \$22 50 |         |
| 6 to 9 in. clumps.....  | 1 00   | 7 00   | 65 00   |         |
| 9 to 12 in. ....  | 60     | 4 50   | 40 00   | 350 00  |
| 9 to 12 in clumps ..  | 1 50   | 10 00  | 90 00   |         |
| 1 to 1½ ft. clumps... 1 75  | 1 75   | 12 50  | 110 00  |         |
| 1½ to 2 ft. clumps.... 3 00   | 3 00   | 27 50  | 250 00  |         |
| <b>*catawbiense.</b>  |        |        |         |         |
| 3 to 6 in., heavy .....   | 20     | 1 00   | 8 50    | 75 00   |
| 6 to 9 in., heavy .....   | 25     | 1 50   | 12 50   | 100 00  |
| 9 to 12 in., heavy.....   | 35     | 2 00   | 18 00   |         |
| 1 to 1½ ft. clumps.... 1 50   | 1 50   | 10 00  | 90 00   | 750 00  |
| 1½ to 2 ft. clumps.. 2 00   | 2 00   | 16 00  | 135 00  | 1300 00 |
| 2 to 3 ft. clumps .....   | 3 00   | 25 00  | 200 00  | 1750 00 |
| 3 to 4 ft. clumps..... 5 00   | 5 00   | 40 00  | 375 00  |         |
| 4 to 5 ft. clumps..... 7 00   | 7 00   | 60 00  |         |         |
| <b>*maximum.</b> The Great American<br>Rosebay.   |        |        |         |         |
| 3 to 6 in. ....   | 15     | 75     | 6 00    | 50 00   |
| 6 to 9 in. ....   | 20     | 1 00   | 8 00    | 60 00   |
| 9 to 12 in. ....  | 25     | 1 25   | 10 00   | 90 00   |
| 1 to 1½ ft. ....  | 35     | 2 00   | 18 00   | 160 00  |
| 1½ to 2 ft. ....  | 75     | 4 00   | 35 00   |         |
| 9 to 18 in. clumps.... 1 25   | 1 25   | 7 00   | 60 00   | 500 00  |
| 1½ to 2 ft. clumps .. 1 50  | 1 50   | 12 00  | 100 00  |         |
| 2 to 3 ft. clumps .....   | 2 25   | 17 50  | 150 00  |         |
| 3 to 4 ft. clumps .... 4 00   | 4 00   | 35 00  |         |         |
| 4 to 5 ft. clumps..... 6 00   | 6 00   |        |         |         |
| 5 to 6 ft. clumps .....   | 8 00   |        |         |         |
| "Collected" Rhododendrons. I supply the finest "collected" clumps of Rhododendron maximum and R. catawbiense by the carload and by the thousand. For prices and full information see pages 31 and 32. |        |        |         |         |
| <b>Rhus aromatica (canadensis).</b>   | Each   | 10     | 100     | 1,000   |
| 1 to 3 ft. ....   | \$0 20 | \$1 50 | \$12 00 |         |
| <b>copallina.</b> Sumac. 1 to 2 ft..  | 20     | 1 25   | 10 00   |         |
| 2 to 3 ft. ....   | 30     | 1 75   | 15 00   |         |
| 3 to 4 ft. ....   | 40     | 2 50   |         |         |
| <b>cotinoides.</b> Southern Smoke Tree.   |        |        |         |         |
| 3 to 4 ft. ....   | 1 50   |        |         |         |
| 6 to 8 ft. ....   | 3 00   |        |         |         |
| <b>glabra.</b> 2 to 3 ft.....   | 20     | 1 00   | 8 50    |         |
| 3 to 4 ft. ....   | 30     | 2 50   | 18 00   |         |
| 4 to 5 ft. ....   | 40     | 3 00   | 25 00   |         |
| <b>typhina (hirta).</b> 1 to 2 ft....   | 20     | 1 25   | 10 00   |         |
| 2 to 3 ft. ....   | 25     | 1 50   | 12 00   |         |
| 4 to 6 ft. ....   | 40     | 2 50   | 20 00   |         |
| <b>Ribes cynosbati.</b> 1 to 2 ft.....  | 30     | 2 50   |         |         |
| 2 to 3 ft. ....   | 50     | 3 50   |         |         |
| <b>rotundifolium.</b> 2 to 3 ft.....  | 30     | 2 50   |         |         |
| <b>Robinia hispida.</b> 1 to 2 ft.....  | 20     | 1 00   | 8 00    |         |
| <b>kelseyi.</b> 1 to 2 ft. ....   | 40     | 3 00   | 20 00   |         |
| <b>viscosa.</b> 3 to 4 ft.....  | 35     | 2 00   |         |         |
| 4 to 6 ft. ....   | 50     | 3 50   |         |         |
| <b>Rosa arkansana.</b> 2 to 3 ft.....   | 40     | 3 00   |         |         |
| <b>blanda.</b> 1 to 2 ft.....   | 35     | 2 00   | 17 50   |         |
| <b>carolina.</b> 6 to 12 in. S. ....  | 05     | 40     | 3 00    |         |
| 1 to 2 ft.....  | 15     | 75     | 6 00    | 50 00   |
| 2 to 3 ft. ....   | 20     | 1 00   | 8 00    | 70 00   |
| 3 to 4 ft. ....   | 30     | 2 50   | 15 00   |         |
| <b>humilis.</b> 6 to 12 in.....   | 20     | 1 00   |         |         |
| 1 to 2 ft. ....   | 25     | 1 50   |         |         |
| <b>lucida.</b> 1 to 2 ft. ....  | 20     | 1 50   | 12 00   | 100 00  |
| 6 to 12 in. ....  | 15     | 1 00   | 8 00    |         |
| <b>nitida.</b> 6 to 12 in.....  | 20     | 1 25   | 10 00   |         |
| 1 to 2 ft. ....   | 30     | 1 75   | 15 00   |         |
| <b>rubiginosa.</b> 1 to 2 ft. seedlings   | 20     | 1 50   | 12 00   |         |
| <b>Rubus canadensis.</b> 1 to 3 ft.....   | 15     | 75     | 6 00    | 50 00   |
| <b>laciniatus.</b> 1 to 2 ft. ....  | 25     | 2 00   | 15 00   |         |
| <b>odoratus.</b> 1 to 2 ft.....   | 15     | 75     | 6 00    |         |
| <b>Sambucus canadensis.</b> 3 to 4 ft..   | 25     | 2 00   |         |         |
| <b>racemosus (pubens).</b> 2 to 3 ft.   | 25     | 1 50   |         |         |
| 3 to 4 ft. ....   | 40     | 3 00   | 20 00   |         |
| <b>Stuartia pentagyna.</b> Southern Stuartia.   |        |        |         |         |
| 1 to 2 ft. ....   | 40     | 2 50   | 20 00   |         |
| 2 to 3 ft. ....   | 75     | 4 00   | 35 00   |         |
| 3 to 4 ft. ....   | 1 00   | 6 50   | 60 00   |         |
| 4 to 5 ft. ....   | 2 00   | 15 00  |         |         |
| <b>Symphoricarpus occidentalis.</b>   |        |        |         |         |
| 1 to 2 ft. ....   | 30     | 2 00   |         |         |

EVERGREENS ARE MARKED WITH A STAR (\*)

## Catalog of HIGHLANDS NURSERY

### DECIDUOUS AND EVERGREEN TREES, SHRUBS AND WOODY VINES (continued)

|   | Each | 10   | 100  | 1,000 |
|---|------|------|------|-------|
| <i>Tecoma capreolata</i> ( <i>crucigera</i> ).. | 20   | 1 00 | 8 00 | 60 00 |
| <i>grandiflora</i> . Strong.....                | 60   | 4 00 |      |       |
| <i>radicans</i> . Strong .....                  | 20   | 1 00 |      |       |
| <i>Tilia americana</i> . 2 to 3 ft.....         | 20   | 1 00 | 8 00 |       |

## HEMLOCKS

| * <i>Tsuga canadensis</i> . Canadian Hemlock. | Each  |       |        |        |
|---|-------|-------|--------|--------|
|   | 10    | 100   | 1,000  |        |
| 6 to 12 in. ....                              | 20    | 1 25  | 10 00  | 90 00  |
| 1 to 1½ ft. ....                              | 25    | 1 50  | 12 50  | 110 00 |
| 1½ to 2 ft. ....                              | 50    | 3 00  | 27 50  |        |
| 2 to 3 ft. ....                               | 1 00  | 6 00  | 50 00  |        |
| 3 to 4 ft. ....                               | 1 50  | 10 00 | 90 00  |        |
| 4 to 5 ft. ....                               | 2 00  | 17 50 | 150 00 |        |
| 5 to 6 ft. ....                               | 3 50  | 30 00 | 250 00 |        |
| 6 to 7 ft. ....                               | 6 00  | 50 00 | 450 00 |        |
| 7 to 8 ft. ....                               | 8 00  | 70 00 |        |        |
| 8 to 10 ft. ....                              | 10 00 | 90 00 |        |        |

| * <i>Tsuga caroliniana</i> . Carolina Hemlock. | Each  |        |       |       |
|--|-------|--------|-------|-------|
|  | 10    | 100    | 1,000 |       |
| 2 to 3 in. seedlings..                         | 15    | 75     | 5 00  | 40 00 |
| 3 to 6 in. transplanted                        | 20    | 1 00   | 8 00  |       |
| 6 to 12 in. ....                               | 75    | 6 00   | 50 00 |       |
| 1 to 1½ ft. ....                               | 1 00  | 8 00   |       |       |
| 1½ to 2 ft. ....                               | 1 50  | 12 00  |       |       |
| 2 to 3 ft. ....                                | 2 00  | 15 00  |       |       |
| 3 to 4 ft. ....                                | 4 00  | 30 00  |       |       |
| 4 to 5 ft. ....                                | 6 00  | 50 00  |       |       |
| 5 to 6 ft. ....                                | 9 00  | 80 00  |       |       |
| 6 to 7 ft. ....                                | 14 00 | 120 00 |       |       |
| 7 to 8 ft. ....                                | 16 00 |        |       |       |
| 8 to 10 ft. ....                               | 20 00 |        |       |       |

|  |      |      |       |       |
|--|------|------|-------|-------|
| <i>Vaccinium erythrocarpon</i> .           |      |      |       |       |
| 6 to 12 in. ....                           | 35   | 3 00 |       |       |
| 1 to 2 ft. ....                            | 50   | 4 00 |       |       |
| * <i>macrocarpum</i> . American Cranberry. |      |      |       |       |
| Clumps .....                               | 10   | 75   | 5 00  | 40 00 |
| <i>pallidum</i> . 6 to 12 in. ....         | 30   | 2 00 | 17 50 |       |
| 1 to 2 ft. ....                            | 40   | 3 00 |       |       |
| 1 to 2 ft. clumps .....                    | 60   | 4 00 | 30 00 |       |
| 2 to 3 ft. clumps .....                    | 80   | 6 00 | 50 00 |       |
| <i>pennsylvanicum</i> . 3 to 6 in..        | 30   | 1 75 |       |       |
| <i>stamineum</i> . 1 to 1½ ft.....         | 25   | 2 00 | 16 00 |       |
| 1 to 1½ ft. clumps....                     | 50   | 3 50 | 30 00 |       |
| 1½ to 2 ft. clumps ...                     | 75   | 5 00 | 40 00 |       |
| 2 to 3 ft. clumps .....                    | 1 00 | 8 00 |       |       |
| <i>Viburnum acerifolium</i> . 6 to 12 in.  | 15   | 75   | 5 00  |       |
| 1 to 2 ft. ....                            | 20   | 1 25 | 10 00 |       |
| 2 to 3 ft. ....                            | 30   | 2 00 | 18 00 |       |
| <i>alnifolium</i> . 1 to 2 ft.....         | 30   | 1 75 |       |       |
| 2 to 3 ft. ....                            | 40   | 2 50 | 20 00 |       |
| 3 to 4 ft. ....                            | 75   | 4 00 |       |       |
| 4 to 5 ft. ....                            | 1 00 | 6 00 |       |       |

|  |      |       |       |        |
|--|------|-------|-------|--------|
| <i>Viburnum cassinoides</i> .                  |      |       |       |        |
| 6 to 12 in. ....                               | 20   | 1 00  | 8 00  |        |
| 1 to 2 ft. ....                                | 25   | 1 50  | 12 00 |        |
| 2 to 3 ft. ....                                | 30   | 1 75  | 15 00 |        |
| 3 to 4 ft. clumps.....                         | 75   | 4 00  | 37 50 | 250 00 |
| 4 to 6 ft. clumps .....                        | 1 00 | 6 00  | 50 00 |        |
| 6 to 8 ft. clumps .....                        | 1 50 | 12 00 |       |        |
| <i>dentatum</i> . 1 to 2 ft.....               | 20   | 1 50  | 10 00 |        |
| 2 to 3 ft. clumps .....                        | 35   | 3 00  |       |        |
| 4 to 5 ft. clumps .....                        | 75   | 6 00  |       |        |
| <i>opulus</i> ( <i>oxycoccus</i> ). 1 to 2 ft. | 20   | 1 50  | 10 00 |        |
| 3 to 4 ft. ....                                | 30   | 2 50  |       |        |
| 4 to 6 ft. ....                                | 50   |       |       |        |
| <i>Wisteria chinensis alba</i> .               |      |       |       |        |
| 6 to 12 in. ....                               | 25   | 2 00  | 15 00 |        |

| * <i>Xanthorrhiza apiifolia</i> . Yellow Root. | Each |      |       |        |
|--|------|------|-------|--------|
|  | 10   | 100  | 1,000 |        |
| 3 to 6 in. ....                                | 10   | 50   | 4 00  | 30 00  |
| 6 to 12 in. ....                               | 15   | 75   | 5 00  | 40 00  |
| 1 to 1½ ft. ....                               | 20   | 90   | 7 00  | 60 00  |
| 3 to 6 in. clumps .....                        | 20   | 1 00 | 6 00  | 50 00  |
| 6 to 12 in. clumps .....                       | 25   | 1 25 | 8 00  | 70 00  |
| 1 to 1½ ft. clumps.....                        | 35   | 2 50 | 18 00 | 150 00 |
| 1½ to 2 ft. clumps....                         | 50   | 4 00 | 30 00 |        |
| <i>Xollisma ligustrina</i> . 1 to 2 ft..       | 20   | 1 50 | 12 00 |        |

EVERGREENS ARE MARKED WITH A STAR (\*)

# KELSEY'S HARDY SPECIMEN EVERGREENS

Catalog of HIGHLANDS NURSERY

## HARDY HERBACEOUS PERENNIALS, VINES. AQUATICS, FERNS, ORCHIDS, LILIES AND BULBOUS PLANTS

|  | Each | 10   | 100   | 1,000  |
|--|------|------|-------|--------|
| <i>Aconitum uncinatum</i> .....  | 20   | 1 00 |       |        |
| <i>Acorus calamus</i> .....  | 20   | 1 00 | 8 00  |        |
| <i>Actaea alba</i> .....   | 30   | 1 75 | 16 00 |        |
| <i>Allium cernuum</i> .....  | 20   | 1 25 | 10 00 |        |
| <i>triccoccum</i> .....  | 20   | 1 00 |       |        |
| <i>Amsonia amsonia</i> , Clumps.....   | 20   | 1 00 | 8 00  |        |
| <i>Aralla nudicaulis</i> .....   | 15   | 75   | 6 00  |        |
| <i>Archangelica hirsuta</i> .....  | 15   | 75   | 6 00  |        |
| <i>Arisaema triphyllum</i> .....   | 20   | 1 00 | 8 00  |        |
| <i>Artemisia gracilis</i> .....  | 40   | 2 50 |       |        |
| <i>Asarum macranthum</i> .....   | 20   | 1 00 |       |        |
| Asters, in variety— <i>acuminatus</i> ,<br><i>cordifolius</i> , <i>macro-</i><br><i>phyllus</i> , <i>puniceus</i> ,<br><i>umbellatus</i> .....   | 20   | 1 00 | 8 00  | 70 00  |
| <i>Bicuculla</i> ( <i>Dicentra</i> ) <i>eximia</i> ....  | 20   | 1 25 | 10 00 |        |
| Cacti, Hardy Species Cactus—<br><i>missouriensis</i> , <i>Opun-</i><br><i>tia arenaria</i> , <i>Opuntia</i><br><i>camanchica</i> , <i>Opuntia</i><br><i>major</i> , <i>Opuntia mes-</i><br><i>sacantha cymochilla</i> ,<br><i>Opuntia mesacantha</i><br><i>greeni</i> , <i>Opuntia poly-</i><br><i>antha</i> ..... | 85   | 5 00 | 35 00 |        |
| Calopogon. See <i>Limodorum</i> .  |      |      |       |        |
| <i>Caltha leptosepala</i> , Marsh Mary-<br>gold .....  | 25   | 1 50 |       |        |
| <i>Campanula divaricata</i> .....  | 20   | 1 00 |       |        |
| * <i>Carex fraseri</i> .....   | 20   | 1 25 | 10 00 | 80 00  |
| <i>Chelone glabra</i> .....  | 20   | 1 00 | 8 00  | 70 00  |
| <i>lyoni</i> .....   | 20   | 1 00 | 8 00  | 70 00  |
| <i>Chamaelirium luteum</i> .....   | 20   | 1 00 | 8 00  | 70 00  |
| <i>Cicuta maculata</i> .....   | 20   | 1 00 |       |        |
| <i>Cimicifuga americana</i> .....  | 20   | 1 00 | 8 00  | 70 00  |
| <i>racemosa</i> .....  | 15   | 75   | 6 00  | 50 00  |
| <i>Clematis crispa</i> .....   | 40   | 2 75 | 20 00 |        |
| <i>virginiana</i> .....  | 20   | 1 00 | 6 00  |        |
| <i>vitalba</i> .....   | 30   | 1 75 | 16 00 |        |
| * <i>Clintonia umbellata</i> .....   | 15   | 75   | 6 00  |        |
| <i>Collinsonia canadensis</i> .....  | 15   | 75   | 6 00  |        |
| <i>Convallaria majalis</i> .....   | 15   | 75   | 5 00  |        |
| <i>Coreopsis lanceolata</i> .....  | 15   | 75   | 6 00  |        |
| <i>major</i> .....   | 15   | 75   | 6 00  |        |
| <i>rosea</i> , .....   | 20   | 1 00 | 8 00  |        |
| <i>verticillata</i> .....  | 20   | 1 00 | 8 00  |        |
| <i>Cypridedium acaule</i> , Light.....   | 15   | 75   | 5 00  | 40 00  |
| Strong .....   | 20   | 1 25 | 10 00 | 70 00  |
| <i>hirsutum</i> , Light .....  | 15   | 75   | 5 00  | 40 00  |
| Strong .....   | 20   | 1 25 | 10 00 | 80 00  |
| <i>Dionaea muscipula</i> , Venus' Fly-<br>trap .....   | 20   | 1 00 | 8 00  |        |
| <i>Dioscorea villosa</i> .....   | 20   | 1 00 | 7 00  |        |
| <i>Disporum lanuginosum</i> .....  | 20   | 1 25 | 9 00  |        |
| <i>Diphillela cymosa</i> .....   | 20   | 1 25 | 10 00 |        |
| * <i>Epigaea repens</i> , Trailing Arbutus.<br>Established clumps ..   | 40   | 2 50 | 22 50 |        |
| "Collected" clumps ..  | 25   | 1 50 | 12 00 | 100 00 |
| <i>Erythronium americanum</i> .....  | 10   | 50   | 2 00  | 16 00  |
| <i>albidum</i> .....   | 10   | 70   |       |        |
| <i>Eupatorium ageratoides</i> .....  | 20   | 1 25 | 10 00 |        |
| <i>perfoliatum</i> .....   | 20   | 1 25 | 10 00 |        |
| <i>purpureum</i> .....   | 25   | 1 50 | 12 50 |        |
| <i>Euphorbia corollata</i> .....   | 20   | 1 00 | 8 00  |        |

## Ferns, Hardy Native Species

|  | Each   | 10     | 100     | 1,000  |
|--|--------|--------|---------|--------|
| <i>Adiantum pedatum</i> .....  | \$0 20 | \$1 25 | \$10 00 |        |
| <i>Asplenium filix-foemina</i> .....   | 20     | 1 00   | 8 00    |        |
| <i>thelypteroides</i> .....  | 20     | 1 00   | 8 00    |        |
| * <i>Botrychium virginianum</i> .....  | 20     | 1 00   | 7 00    |        |
| * <i>Dryopteris acrostichoides</i> .....                                     | 20     | 1 00   | 8 00    |        |
| <i>goldiana</i> .....  | 20     | 1 25   | 10 00   |        |
| <i>marginalis</i> .....  | 20     | 1 00   | 8 00    | 60 00  |
| <i>noveboracensis</i> .....  | 20     | 1 00   | 8 00    |        |
| <i>spinulosa</i> .....   | 20     | 1 00   | 8 00    | 60 00  |
| <i>Onoclea sensibilis</i> .....  | 20     | 1 00   | 8 00    |        |
| <i>Osmunda cinnamomea</i> , clayton-<br><i>iana</i> and <i>regalis</i> ..... | 25     | 1 50   | 12 00   | 100 00 |
| <i>Phegopteris hexagonoptera</i> .....                                       | 20     | 1 00   | 8 00    |        |
| * <i>Polypodium vulgare</i> .....  | 15     | 75     | 6 00    | 35 00  |

EVERGREENS ARE MARKED WITH A STAR (\*)

## Catalog of HIGHLANDS NURSERY

### HARDY HERBACEOUS PERENNIALS (continued)

|  | Each | 10   | 100   | 1,000  |
|--|------|------|-------|--------|
| <i>Pteris aquilina</i> .....   | 15   | 75   | 5 00  | 30 00  |
| * <i>Galax aphylla</i> . Established clumps .....  | 25   | 1 50 | 12 00 | 90 00  |
| "Collected" clumps ..  | 20   | 1 00 | 8 00  | 50 00  |
| <i>Gaultheria procumbens</i> . Clumps ..   | 25   | 1 50 | 10 00 |        |
| <i>Gillenia</i> . See <i>Porteranthus</i> .  |      |      |       |        |
| <i>Gentiana andrewsii</i> . Light.....   | 15   | 75   | 5 00  | 35 00  |
| Strong .....   | 20   | 1 00 | 6 00  | 50 00  |
| <i>Habenaria ciliaris</i> .....  | 20   | 1 00 | 8 00  |        |
| <i>Helianthus strumosus</i> .....  | 20   | 1 00 | 8 00  |        |
| * <i>Helonias bullata</i> .....  | 20   | 1 00 | 8 00  |        |
| <i>Hepatica acutiloba</i> .....  | 20   | 1 00 | 8 00  |        |
| <i>Heuchera americana</i> and <i>villosa</i>   | 20   | 1 00 | 8 00  |        |
| <i>Houstonia purpurea</i> and <i>serpyllifolia</i> .....   | 15   | 75   | 6 00  | 40 00  |
| <i>Humulus lupulus</i> .....   | 20   | 1 00 | 8 00  |        |
| * <i>Iris cristata</i> .....   | 25   | 1 50 | 10 00 | 80 00  |
| <i>missouriensis</i> .....   | 25   | 1 50 | 12 00 |        |
| <i>pseudacorus</i> .....   | 20   | 1 00 | 8 00  |        |
| * <i>verna</i> . Clumps .....  | 25   | 1 50 | 10 00 |        |
| <i>versicolor</i> .....  | 20   | 1 00 | 8 00  |        |
| <i>Lacinaria (Liatris) spicata</i> .....   | 20   | 1 00 | 8 00  |        |
| <i>spicata pumila</i> .....  | 20   | 1 00 |       |        |
| <b>Lilies</b>  |      |      |       |        |
| <i>Lilium canadense</i> . Wild Yellow Lily.  |      |      |       |        |
| 2nd size .....   | 10   | 60   | 5 00  |        |
| 1st size .....   | 20   | 1 00 | 7 00  |        |
| <i>carolinianum</i> . Carolina Lily.   |      |      |       |        |
| 2nd size .....   | 20   | 1 00 | 7 00  |        |
| 1st size .....   | 25   | 1 25 | 10 00 |        |
| <i>grayi</i> . 2nd size .....  | 20   | 1 00 | 6 00  | 50 00  |
| 1st size .....   | 25   | 1 25 | 10 00 | 80 00  |
| <i>superbum</i> . Turk's-Cap Lily.   |      |      |       |        |
| 3rd size .....   | 10   | 40   | 2 00  | 18 00  |
| 2nd size .....   | 15   | 75   | 5 00  | 30 00  |
| 1st size .....   | 20   | 1 00 | 8 00  | 60 00  |
| <i>Limodorum (Calopogon) tuberosum</i> .   |      |      |       |        |
| Light .....  | 20   | 1 00 | 8 00  |        |
| Strong .....   | 25   | 1 50 | 12 00 |        |
| <i>Melanthium virginicum</i> .....   | 20   | 1 00 | 8 00  |        |
| <i>Menispermum canadense</i> . Moonseed. ....  | 15   | 75   | 6 00  |        |
| <i>Mitchella repens</i> . Clumps .....   | 25   | 1 50 | 10 00 |        |
| <i>Monarda didyma</i> .....  | 20   | 1 25 | 10 00 |        |
| <i>Orontium aquaticum</i> .....  | 25   | 1 50 |       |        |
| <i>Panax (Aralia) quinquefolium</i> .  |      |      |       |        |
| 3rd size .....   |      | 60   | 5 00  | 35 00  |
| 2nd size .....   |      | 85   | 7 50  | 65 00  |
| 1st size .....   |      | 1 25 | 10 00 | 90 00  |
| <i>Physostegia virginiana</i> .....  | 15   | 75   | 6 00  |        |
| <i>Podophyllum peltatum</i> .....  | 15   | 75   | 6 00  |        |
| <i>Polygonatum biflorum</i> .....  | 15   | 75   | 6 00  |        |
| <i>commutatum</i> .....  | 20   | 1 00 | 8 00  |        |
| <i>Porteranthus (Gillenia) stipulacea</i>  | 20   | 1 00 | 8 00  |        |
| * <i>Potentilla tridentata</i> .....   | 20   | 1 00 | 8 00  |        |
| <i>Sanguinaria canadensis</i> . Bloodroot.   |      |      |       |        |
| Strong .....   | 15   | 75   | 6 00  | 36 00  |
| <i>Sanguinaria</i> is shipped entirely at consignee's risk.  |      |      |       |        |
| * <i>Sarracenia flava</i> .....  | 30   | 1 75 | 15 00 |        |
| <i>Saxifraga micranthidifolia</i> .....  | 25   | 1 50 | 12 00 |        |
| <i>michauxii</i> .....   | 25   | 1 50 |       |        |
| <i>Sedum telephoides</i> and <i>ternatum</i>   | 20   | 1 00 | 8 00  |        |
| * <i>Shortia galacifolia</i> . 2nd size...   | 35   | 2 00 | 18 00 |        |
| 1st size .....   | 75   | 4 00 | 35 00 |        |
| <i>Silene stellata</i> .....   | 20   | 1 00 | 8 00  |        |
| <i>virginica</i> .....   | 20   | 1 25 | 10 00 |        |
| <i>Solidago canadensis</i> , <i>boottii</i> , <i>erecta</i> , <i>glomerata</i> , <i>odora</i> , <i>pallida</i> , <i>patula</i> , <i>rugosa</i> and <i>pubens</i> ..... | 20   | 1 00 | 8 00  | 65 00  |
| <i>Spigella marilandica</i> .....  | 50   | 3 00 | 20 00 |        |
| <i>Stachys aspera</i> .....  | 19   | 60   | 5 00  |        |
| <i>Steironema ciliatum</i> , <i>quadrifolium</i> and <i>terrestris</i> .....   | 15   | 75   | 6 00  |        |
| <i>Stenanthium robustum</i> . Mountain Feather Fleece.   |      |      |       |        |
| 3rd size .....   | 20   | 1 00 | 8 00  | 60 00  |
| 2nd size .....   | 25   | 1 50 | 12 50 | 100 00 |
| 1st size .....   | 50   | 3 00 | 26 00 |        |
| <i>Stokesia cyanea</i> .....   | 20   | 1 00 | 8 00  |        |
| <i>Thermopsis caroliniana</i> . Strong.  | 20   | 1 00 | 8 00  |        |
| Light .....  | 10   | 60   | 5 00  |        |
| <i>Tradescantia montana</i> .....  | 20   | 1 00 | 8 00  |        |
| <i>Trillium erectum</i> , 2nd size .....   | 10   | 40   | 3 00  | 18 00  |
| 1st size .....   | 15   | 75   | 5 00  | 30 00  |

EVERGREENS ARE MARKED WITH A STAR (\*)

# KELSEY'S HARDY SPECIMEN EVERGREENS

## Catalog of HIGHLANDS NURSERY

### HARDY HERBACEOUS PERENNIALS (continued)

|                                      | Each | 10   | 100   | 1,000 |
|--------------------------------------|------|------|-------|-------|
| Trillium erectum var. album.         |      |      |       |       |
| Strong                               | 20   | 1 00 | 8 00  |       |
| undulatum. 2nd size                  | 10   | 60   | 4 00  | 30 00 |
| 1st size                             | 15   | 60   | 3 50  | 20 00 |
| recurvatum                           | 15   | 75   | 6 00  | 50 00 |
| stylosum. 2nd size                   | 10   | 60   | 4 00  | 30 00 |
| 1st size                             | 15   | 75   | 6 00  | 50 00 |
| undulatum. 2nd size                  | 10   | 60   | 4 00  | 30 00 |
| 1st size                             | 15   | 75   | 6 00  | 40 00 |
| Uvularia perfoliata and sessilifolia | 20   | 1 00 | 8 00  |       |
| Vinca minor. Strong                  | 20   | 1 00 | 8 00  |       |
| Viola canadensis                     | 20   | 1 00 |       |       |
| cucullata                            | 20   | 1 00 | 8 00  |       |
| pedata                               | 20   | 1 00 | 8 00  |       |
| pedata bicolor                       | 30   | 1 75 | 14 00 |       |
| rotundifolia                         | 20   | 1 00 | 8 00  |       |
| sagittata                            | 20   | 1 00 |       |       |
| *Xerophyllum asphodeloides           | 35   | 2 00 | 15 00 |       |
| Yucca filamentosa, 2 yr. S.          | 10   | 40   | 3 00  | 20 00 |
| *flaccida                            | 20   | 1 00 | 8 00  | 60 00 |
| *glauca                              | 25   | 1 50 | 12 50 |       |

## RHODODENDRONS and MOUNTAIN LAUREL

### "COLLECTED" CLUMPS BY THE CARLOAD

Delivered at your station. To be shipped from point determined by me.

For the area covered and effect produced, a carload of Rhododendrons or Kalmias, offered below, is the cheapest landscape proposition offered. I ship an unusual grade of splendid clumps, each plant a specimen and burlaped separately. Don't accept cheap stock, thrown into cars without burlaping, and with the fine, hair-like rootlets inevitably exposed. You will be disappointed and find it expensive in the end. While fine results may be had from "collected" Rhododendrons, particularly if purchased from a reliable source, where greatest care is used in digging and handling, results are never so sure as when nursery-grown stock is used.

#### Rhododendron catawbiense "Collected" Clumps

Each plant collected from the open. Prices, delivered f. o. b. your station, if east of the Mississippi river.

|   |          |
|---|----------|
| Car containing 200 clumps, 1 to 3½ ft., for | \$280 00 |
| Car containing 300 clumps, 1 to 3½ ft., for | 380 00   |
| Car containing 400 clumps, 1 to 3½ ft., for | 480 00   |
| Car containing 600 clumps, 1 to 3½ ft., for | 600 00   |

Other combinations and sizes quoted on request.

#### Rhododendron maximum "Collected" Clumps

Prices in carload lots, delivered f. o. b. your station, if east of the Mississippi River, collected from open ground.

|   |          |
|---|----------|
| Car containing 300 clumps, 1½ to 4 ft., for | \$300 00 |
| Car containing 400 clumps, 1½ to 4 ft., for | 375 00   |
| Car containing 600 clumps, 1½ to 4 ft., for | 500 00   |

Other sizes or combinations will be made up to suit customers. It is far cheaper to buy my kind at slightly increased price, and have plants that will grow.

#### Rhododendron maximum and R. catawbiense

"Collected" Clumps by the Carload

Mixed cars, delivered free at any station east of the Mississippi River. Car containing 150 maximum and 150 catawbiense, collected as above. 1½ to 4 ft., clumps,—total of 300—for \$400. Car containing 250 maximum and 250 catawbiense 1½ to 4 ft., clumps,—total of 500—for \$550.

#### Kalmia latifolia (Mountain Laurel)

"Collected" Clumps by the Carload

Highest-class clumps collected from the open, delivered free at your station, if east of the Mississippi River.

HAVE YOUR CLUMPS BURLAPED. IT IS THE ONLY PROPER WAY TO HANDLE SPECIMEN PLANTS. SEE NEXT PAGE FOR COST.

EVERGREENS ARE MARKED WITH A STAR (\*)

## Catalog of HIGHLANDS NURSERY

Car containing 400 clumps, 1 to 3½ ft. for \$375. Kalmia may be added to help fill any Rhododendron car at 90 cts. per clump, not less than 100 clumps in shipment.

The above "Carload" offers are made with a view of furnishing a variety of sizes that will permit of naturalistic grouping.

"Collected" Rhododendrons and Kalmia by the 100 and 1,000. The number that may be shipped in a car varies largely, depending on sizes. The minimum weight allowed per car is 16,000 lbs., with a freight rate from my Highlands Nursery to Baltimore of \$84, New York \$88, and Boston \$96.

A car may easily be loaded much heavier, with proportionate increased freight charge, but not increasing the cost per plant.

A full car travels safer than one with a small load.

All "Clumps" offered below are collected with a good ball and are burlaped separately.

### PRICES OF "COLLECTED" CLUMPS OF RHODODENDRONS AND KALMIAS

| Rhododendron catawbiense.            | Each   | 10      | 100     | 1,000    |
|--------------------------------------|--------|---------|---------|----------|
| 1 to 2 ft. "collected" cl.           | \$1 50 | \$10 00 | \$80 00 | \$700 00 |
| 2 to 3 ft. "collected" cl.           | 2 00   | 15 00   | 130 00  | 1000 00  |
| 3 to 4 ft. "collected" cl.           | 3 00   | 25 00   | 220 00  |          |
| 4 to 5 ft. "collected" cl.           | 5 00   | 40 00   | 350 00  |          |
| maximum. The Great American Rosebay. |        |         |         |          |
| 1 to 2 ft. "collected" cl.           | 1 25   | 8 00    | 70 00   | 650 00   |
| 2 to 3 ft. "collected" cl.           | 2 00   | 12 50   | 100 00  | 850 00   |
| 3 to 4 ft. "collected" cl.           | 2 75   | 20 00   | 160 00  | 1400 00  |
| 4 to 5 ft. "collected" cl.           | 4 00   | 30 00   | 275 00  | 2500 00  |
| 5 to 6 ft. "collected" cl.           | 6 00   | 50 00   | 400 00  |          |
| 6 to 7 ft. "collected" cl.           | 8 00   | 65 00   | 540 00  |          |
| Kalmia latifolia. Mountain Laurel.   |        |         |         |          |
| 1 to 2 ft. "collected" cl.           |        | 7 00    | 60 00   | 550 00   |
| 2 to 3 ft. "collected" cl.           |        | 12 50   | 100 00  | 850 00   |
| 3 to 4 ft. "collected" cl.           |        | 17 50   | 150 00  | 1300 00  |

### TERMS

TERMS cash, or satisfactory references from unknown parties. Accounts due the first of each month, unless by special arrangement. 5 at 10 rates; 50 at 100 rates; 500 at 1,000 rates.

PRICES QUOTED are for grades as specified. For extra selection an extra charge is made to fit the value of the plants.

SEND FOREIGN REMITTANCES by Postal Money Order, drawn on Salem, Mass., post office; or by New York or Boston Exchange. An American dollar equals four shillings, four marks or five francs.

PACKING CHARGES FREE at prices in this catalog for shipment by freight or express. Team and auto delivery to North Shore or Boston points at net cost.

### BURLAPING

It always pays to burlap the larger sizes of trees and shrubs, especially evergreens, even if planted the same day. No charge is made for burlaping single plants as quoted. Otherwise burlaping is charged as follows:

|                             |               |
|-----------------------------|---------------|
| 2 to 3 ft. clumps and trees | 5 cents each  |
| 3 to 4 ft. clumps and trees | 7 cents each  |
| 4 to 6 ft. clumps and trees | 8 cents each  |
| 6 to 8 ft. clumps and trees | 10 cents each |

and larger sizes in proportion. In car lots of Rhododendrons and Kalmias a uniform charge of 5 cents each will be made. Unless instructed to the contrary, I assume customers desire proper burlaping, which will be added to the invoice.

### GUARANTEE

No guarantee, expressed or implied, is made that stock will grow whether planted by me or not.

Having no control over, after treatment of plantings, or over weather conditions, it is obvious that purchaser must assume all responsibility after delivery in good condition.

All shipments travel at consignee's risk, and transportation companies must be held liable for damage in transit.

Claims for errors must be made on receipt of goods. If there is any mistake or fault on my part it will gladly be rectified.

LANDSCAPE FORESTRY. Evergreen seedlings and transplants in large quantities are grown at both nurseries in the choicest species. We do Landscape Forestry, treating woodlands from a Landscape standpoint as well as for commercial uses. Mr. Kelsey is open for consultations and engagements. Always address,

**HARLAN P. KELSEY, Owner**

Office, 287 Essex St.  
Telephone Connection

**SALEM, MASS.**